

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	3004600305 3004600105 3014600005 3004600205	MERCEDES BENZ	Length: 658 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 36 mm Weight: 4.500 kg
	DRAG LINK	6204602805 6204602005 6204600005 6204603705	Mercedes: MK. NG. SK. Unimog	Length: 885 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Pipe Ø: 40 mm Weight: 7.438 kg
	DRAG LINK	6754602805 6754602205 6754601005 6754601605	Mercedes: LK/LN2	Length: 780 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 22 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 6.158 kg
	DRAG LINK	6204603805 6204603905 6204600105 6204602105	Mercedes: NG. SK. Unimog	Length: 885 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Pipe Ø: 40 mm Weight: 7.380 kg
	DRAG LINK	0024604705 0024604805	Actros. Atego. Axor. Econic. MK. NG. SK	Length: 876 mm Outer Thread: M 20 x 1.5 mm Cone Size: 29 mm Pipe Ø: 40 mm Weight: 6.525 kg
	DRAG LINK	3464605005 3464600105 3354600005 3464600005	MERCEDES BENZ	Length: 770 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Pipe Ø: 40 mm Weight: 6.45 kg
	DRAG LINK	3574601005 3574601105 3574600405	MERCEDES BENZ	Length: 988 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 36 mm Weight: 5.500 kg
	DRAG LINK	6194602505 6194602905 6194605205	Mercedes: MK. NG. SK	Length: 860 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 8.12 kg


DRAG LINK-BENZ

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	9704600905 9704600705	Mercedes: Atego	Length: 846 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 7.240 kg
	DRAG LINK	0024604405 0034604805 0024604305	Mercedes: Actros. Atego. Axor	Length: 879 mm Outer Diameter: 36 mm Cone Size: 28.6 mm Rod/Strut: Push Rod Pipe Ø: 36 mm Weight: 5.685 kg
	DRAG LINK	6754603005 6754602405 6754601805 6754601205	Mercedes: LK/LN2	Length: 727 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 20 x 1.5 mm Thread Type: with right-hand thread Cone Size: 26 mm Cone Size: 22 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 5.797 kg
	DRAG LINK	0014603005 0014602905	Mercedes: MK	Length: 840 mm Outer Diameter: 52 mm Cone Size: 32 mm Rod/Strut: Push Rod Pipe Ø: 52 mm Weight: 9.42 kg
	DRAG LINK	0014606705 0004607105	Mercedes: Actros. Atego. Axor. Econic	Length: 879 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 8.08 kg
	DRAG LINK	0024606305 0024606405	Mercedes Actros	Length: 866 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Pipe Ø: 38 mm Rod/Strut: Guide Rod Fitting Position: Front Axle Left Weight: 6.2 kg
	DRAG LINK	3734603605 3734600305 3734600505 3734600705	Mercedes Actros	Length: 976 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 20 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 38 mm Weight: 6.122 kg

DRAG LINK-BENZ

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	6474600305 3874600705 6474600205 3874603505	Mercedes: MK. NG. SK. Unimog	Length: 865 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Diameter: 42 mm Pipe Ø: 42 mm Weight: 7.894 kg
	DRAG LINK	3874604905 3874604805 3874600005	Mercedes: NG	Length: 880 mm Outer Diameter: 40 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 6.797 kg
	DRAG LINK	6023300403 6023300303 6023300103 6023300003	Mercedes: T1. T1/TN	Length: 1352 mm Outer Thread: M 14 x 1.5 mm Outer Thread: M 20 x 1.5 mm Cone Size: 18 mm Pipe Ø: 32 mm Weight: 5.167 kg
	DRAG LINK	0014604905 0014607405	Mercedes: Actros	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 893 mm Cone Size: 32 mm Pipe Ø: 42 mm
	DRAG LINK	6684602105 6684602205	Mercedes: T2/LN1	Length: 490 mm Outer Diameter: 28 mm Outer Thread: M 18 x 1.5 mm Outer Thread: M 28 x 1.5 mm Cone Size: 20 mm Rod/Strut: Push Rod Weight: 1.954 kg
	DRAG LINK	6704601605 6704601205 6704600805 6704602005	Mercedes: T2/LN1	Length: 505 mm Inner Thread: M 28 x 1.5 mm Outer Thread: M 18 x 1.5 mm Cone Size: 22.2 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 32 mm Weight: 2.984 kg
	DRAG LINK	6674601805 6674601605	Mercedes: Vario	Length: 510 mm Inner Thread: M 28 x 1.5 mm Outer Thread: M 18 x 1.5 mm Cone Size: 22 mm Pipe Ø: 36 mm Weight: 3.08 kg
	DRAG LINK	6674601505 6674601705	Mercedes: Vario	Length: 510 mm Cone Size: 20 mm Rod/Strut: Push Rod Pipe Ø: 35 mm Weight: 3.095 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	6884607405 6884607905 L710 D712 9129141114 L913 D914-1114	MERCEDES BENZ	Length: 455 mm Outer Thread: M 18 x 1.5 mm Outer Thread: M 328x 1.5 mm Cone Size: 22 mm Rod/Strut: Push Rod Pipe Ø: 38 mm Weight: 4.21kg
	DRAG LINK	6884607405 6884607905 L 710 D 712 912 914 1114 L913 D 914-1114	MERCEDES BENZ	Length: 625 mm Outer Thread: M 18 x 1.5 mm Outer Thread: M 30 x 1.5 mm Thread Type: with left-hand thread Cone Size: 22 mm Rod/Strut: Push Rod Pipe Ø: 36 mm Weight: 3.886 kg
	DRAG LINK	3524605905 3524604905 3524603105 3524602405 3524605605 3524603205 3524604805 3524602305	MERCEDES BENZ	Length: 625 mm Outer Thread: M 18 x 1.5 mm Outer Thread: M 30 x 1.5 mm Thread Type: with left-hand thread Cone Size: 22 mm Rod/Strut: Push Rod Pipe Ø: 36 mm Weight: 3.886 kg
	DRAG LINK	3524604605	Mercedes: LP	Length: 680 mm Outer Diameter: 40 mm Outer Thread: M 18 x 1.5 mm Spanner Size: 27 Cone Size: 22 mm Weight: 4.85 kg
	DRAG LINK	3524604705 3524605805 3524603005 3524602205	Mercedes: LP	Length: 668 mm Outer Diameter: 40 mm Outer Thread: M 18 x 1.5 mm Thread Length: 23 mm Cone Size: 22 mm Pipe Ø: 40 mm Weight: 4.671 kg
	DRAG LINK	3274600005	MERCEDES BENZ	Length: 680 mm Cone Size: 22mm Rod/Strut: Push Rod Pipe Ø: 32mm Weight: 6.5kg
	DRAG LINK	3734600905 3024603905 3734600605 3024604005	Mercedes Evrbus	Length: 687 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 25 mm Rod/Strut: Push Rod Pipe Ø: 36 mm Weight: 4.380 kg
	DRAG LINK	0014601105 0024600405	Mercedes: Actros	Length: 710 mm Width: 42 mm Thickness: 122 mm Outer Thread: M 27 x 1.5 mm Cone Size: 32 mm Rod/Strut: Push Rod Fitting Position: Front Axle Weight: 6.925 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	0034603205 0014601305 0024600505 0014601405	Mercedes: Actros. Axor	Length: 1095 mm Outer Thread: M 27 x 1.5 mm Cone Size: 32 mm Rod/Strut: Push Rod Diameter: 42 mm Weight: 9.36 kg
	DRAG LINK	6734600305 6734600505 6734600705 6734600905	Mercedes: LK/LN2	Length: 725 mm Outer Thread: M 18 x 1.5 mm Outer Thread: M 30 x 1.5 mm Thread Type: with right-hand thread Cone Size: 22 mm Rod/Strut: Push Rod Pipe Ø: 36 mm Weight: 4.176 kg
	DRAG LINK	6684600505 6684600705 6684600905 6684601105	Mercedes: T2/LN1	Length: 505 mm Outer Thread: M 14 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 18 mm Rod/Strut: Push Rod Pipe Ø: 26 mm Weight: 1.982 kg
	DRAG LINK	3094600805 3094602005 3094602505 3094602605	Mercedes: T1. T2/L	Length: 486 mm Cone Size: 18 mm Pipe Ø: 26 mm Rod/Strut: Suspension Rod
	DRAG LINK	3914600605 3914601605 3914601505	Mercedes: NG. SK	Length: 730 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 6.936 kg
	DRAG LINK	9704600805 9704601005	ATEGO 812 814 815 816 817 823 717	Length: 797 mm Outer Thread: M 20 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 48 mm Weight: 7.253 kg
	DRAG LINK	9704600905 9704600705	Mercedes: Atego	Length: 846 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 7.240 kg
	DRAG LINK	6764601105 6764601505	Mercedes LK/LN2	Length: 780 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 20 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 6.52 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	3463304803 3463304003 3463304603	Mercedes Actros	Length: 1438 mm Outer Diameter: 58 mm Outer Thread: M24 x 1.5 mm Outer Thread: M30 x 1.5 mm Cone Size: 30 mm Fitting Position: Front Axle Pipe Ø: 58 mm Weight: 13.841 kg
	DRAG LINK	6174600105 6174600305 6174602905	Mercedes NG	Length: 870 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M24 x 1.5 mm Cone Size: 26 mm Rod/Strut: Suspension Rod Fitting Position: Front Axle Pipe Ø: 42 mm Weight: 7.65 kg
	DRAG LINK	6174603205 6174603305	Mercedes Axor. Citaro. N	Length: 870 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 42 mm Weight: 8.105 kg
	DRAG LINK	9174602405	Mercedes: MK 122-3336 SK1929-2531	Length: 863 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 8.13kg
	DRAG LINK	3434601005 3434601205 3434601405 3434601505 3434600405	Mercedes MK	Length: 760 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Spanner Size: 36 Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 6.75 kg
	DRAG LINK	0034605705 0024609705 0024609605	Mercedes Actros	Length: 858 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Cone Size: 28 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 6.455 kg
	DRAG LINK	6224600905 6224601005 6224600205 6224600305	Mercedes: MK. NG. SK	Length: 700 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 60 mm Weight: 7.060 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	622 460 14 05 622 460 15 05 622 460 04 05	MK1726 1831 NG1222-3836 SK 1728-3238	Length: 820 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 7.162 kg
	DRAG LINK	0014605705	Mercedes: Actros	Rod/Strut: Push Rod Length: 773 mm Cone Size: 32 mm Pipe Ø: 36 mm
	DRAG LINK	6704601605 6704601205 6704600805 6704602005	Mercedes: T2/LN1	Length: 505 mm Inner Thread: M 28 x 1.5 mm Outer Thread: M 18 x 1.5 mm Cone Size: 22.2 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 32 mm Weight: 2.984 kg
	DRAG LINK	0014600405 0014600305	Mercedes: MK. NG. SK	Length: 840 mm Outer Diameter: 48 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 27 x 1.5 mm Cone Size: 30 mm Cone Size: 32 mm Rod/Strut: Push Rod Weight: 7.54 kg
	DRAG LINK	6174602405 6174603405	Mercedes: MK. NG	Length: 863 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 8.080 kg
	DRAG LINK	3874604405 3874604505 3874600605	MERCEDES BENZ	Length: 865 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 20 x 1.5 mm Cone Size: 25 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 6.796 kg
	DRAG LINK	6204603005 6204600405 6204602905	Mercedes: MK. NG. SK	Length: 865 mm Outer Diameter: 40 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 7.365 kg
	DRAG LINK	3854600805 3854602005 3854603405	Mercedes: NG	Length: 865 mm Outer Diameter: 42 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 7.630 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	3563300003 6133300003	Mercedes: O. Tourismo	Adjustable: on both sides Length: 697 mm Cone Size: 30 mm Pipe Ø: 32 mm
	DRAG LINK	6174600005 6174600205 6174602805	Mercedes: NG. SK	Length: 870 mm Outer Diameter: 42 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 7.705 kg
	DRAG LINK	0004604005 0024605105 0024605205	Mercedes: Actros. Atego. Axor	Length: 885 mm Outer Diameter: 38 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 27 x 1.5 mm Cone Size: 32 mm Cone Size: 30 mm Rod/Strut: Push Rod Weight: 6.568 kg
	DRAG LINK	6174603505 6174603605	Mercedes: MK. NG	Length: 870 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 8.13 kg
	DRAG LINK	6254602505	Mercedes: MK. NG. SK	Length: 870 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 7.903 kg
	DRAG LINK	0014606905 0004609205 0004609305	Mercedes: Actros	Length: 873 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Diameter: 40 mm Pipe Ø: 40 mm Weight: 7.228 kg
	DRAG LINK	3834604505 3834600805 3834601605 3834602405	Mercedes: LK/LN2. NG	Length: 890 mm Outer Diameter: 40 mm Outer Thread: M 18 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 22 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 6.374 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	3834600605 3834604405 3834601405 3834602305	Mercedes: LK/LN2. NG	Length: 890 mm Outer Diameter: 40 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 20 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 9.12 kg
	DRAG LINK	0024604605 0024604505 3754600405	Mercedes: Actros. Atego	Length: 895 mm Outer Diameter: 36 mm Inner Thread: M 28 x 1.5 mm Outer Thread: M 20 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 36 mm Weight: 4.796 kg
	DRAG LINK	3164600605 3164600805 3164600705 3164600905	Mercedes: LP	Length: 530 mm Outer Diameter: 36 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 18 x 1.5 mm Cone Size: 22 mm Rod/Strut: Push Rod Pipe Ø: 36 mm Weight: 3.5 kg
	DRAG LINK	0024605005 0024604905	Mercedes: Atego. Axor	Length: 895 mm Outer Diameter: 40 mm Outer Thread: M 20 x 1.5 mm Cone Size: 24 mm Rod/Strut: Push Rod Weight: 6.610 kg
	DRAG LINK	0014600405 0014600305	Mercedes: MK. NG. SK	Length: 840 mm Outer Diameter: 48 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 27 x 1.5 mm Cone Size: 30 mm Cone Size: 32 mm Rod/Strut: Push Rod Weight: 7.54 kg
	DRAG LINK	0004609905 0004609805	Mercedes: SK	Length: 900 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 48 mm Weight: 7.722 kg
	DRAG LINK	0014609805 0014609905	Mercedes Actros	Length: 866 mm Outer Diameter: 38 mm Outer Thread: M24 x 1.5 mm Outer Thread: M30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Guide Rod Fitting Position: Front Axle Weight: 6.2 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	6204604105 6204604005 6204602405	Mercedes: NG. SK	Length: 900 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 48 mm Weight: 7.830 kg
	DRAG LINK	3754600305 9724601805 9724602005	Mercedes: Atego	Length: 895 mm Outer Diameter: 50 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Weight: 8.145 kg
	DRAG LINK	3574601505 3574601405	Mercedes: O. Tourismo	Length: 1066 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 20 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 7.566 kg
	DRAG LINK	003 460 32 05 001 460 13 05 002 460 05 05 001 460 14 05	Mercedes: Actros. Atego. Axor	Length: 1095 mm Outer Thread: M 27 x 1.5 mm Cone Size: 32 mm Rod/Strut: Push Rod Diameter: 42 mm Weight: 9.36 kg
	DRAG LINK	3574601205 3054600605 3574601305	MERCEDES BENZ	Length: 1160 mm Outer Diameter: 40 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 8.500 kg
	DRAG LINK	0014608605 0014608705	Mercedes: Actros	Length: 954 mm Outer Diameter: 42 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 8.289 kg
	DRAG LINK	9413300503 9413300103 9413300203 9413300303	Mercedes: Actros. Atego. Axor	Length: 1735 mm Outer Diameter: 50 mm Outer Thread: M 27 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 32 mm Pipe Ø: 50 mm Weight: 14.414 kg
	DRAG LINK	3134600005 3134600105	Mercedes: O. T2/L	Length: 490 mm Outer Diameter: 28 mm Outer Thread: M 16 x 1.5 mm Outer Thread: M 24 x 1.5 mm Thread Type: with right-hand thread Cone Size: 20 mm Fitting Position: Front Axle Pipe Ø: 28 mm Weight: 2.400 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	3933300803 3713307003 3933300003 3933300203	Mercedes: Actros. LK/LN2. MK. NG. SK. Unimog	Length: 1624 mm Outer Diameter: 50 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Pipe Ø: 50 mm Weight: 13.6 kg
	DRAG LINK	6773300303 6773300403	Mercedes: LK/LN2. SK	Length: 1562 mm Outer Diameter: 40 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Fitting Position: Front Axle Weight: 9.01 kg
	DRAG LINK	6763300203 6763300403 6763300703 6763300903	Mercedes: LK/LN2	Length: 1550 mm Outer Diameter: 40 mm Outer Thread: M 18 x 1.5 mm Outer Thread: M 28 x 1.5 mm Cone Size: 22 mm Pipe Ø: 40 mm Weight: 7.256 kg
	DRAG LINK	6023300403 6023300303 6023300103 6023300003	Mercedes: T1. T1/TN	Length: 1352 mm Outer Diameter: 32 mm Outer Thread: M 14 x 1.5 mm Outer Thread: M 20 x 1.5 mm Cone Size: 18 mm Fitting Position: Front Axle Pipe Ø: 32 mm Weight: 5.167 kg
	DRAG LINK	6023300903 6023305403 6023301003 6023305303	Mercedes: T1	Length: 1356 mm Outer Diameter: 30 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 14 x 1.5 mm Cone Size: 18 mm Fitting Position: Front Axle Pipe Ø: 30 mm Weight: 4.492 kg
	DRAG LINK	9703300203 9703300003 9703300403 9703300103	Mercedes: Atego	Length: 1640 mm Outer Diameter: 40 mm Inner Thread: M 30 x 1.5 mm Outer Thread: M 20 x 1.5 mm Cone Size: 26 mm Fitting Position: Front Axle Pipe Ø: 40 mm Weight: 8.057 kg
	DRAG LINK	9423302303 9423300203 9423301103 9423300003 9423300103	Mercedes: Actros. Atego. Axor. Econic	Length: 1735 mm Outer Thread: M 27 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 32 mm Fitting Position: Front Axle Pipe Ø: 52 mm Weight: 16.535 kg
	DRAG LINK	3463303903 6253303203 9443300503 9443301703	Mercedes: Actros. Atego. Axor. SK	Length: 1588 mm Outer Diameter: 60 mm Inner Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Fitting Position: Front Axle Weight: 23 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	9493300903 9493300303 9493300203 9423300803	Mercedes: Actros. Atego. Axor	Length: 1625 mm Outer Thread: M 27 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 32 mm Fitting Position: Front Axle Pipe Ø: 52 mm Weight: 13. kg
	DRAG LINK	9493300603 9493301503 9493301603 9493300703	Mercedes: Actros. Atego. Axor	Length: 1620 mm Outer Diameter: 52 mm Inner Thread: M30 x 1.5 mm Outer Thread: M27 x 1.5 mm Cone Size: 32.2 mm Fitting Position: Front Axle Weight: 16.038 kg
	DRAG LINK	9423300403 9423301603 9423300303	Mercedes: Actros. Atego	Length: 1664 mm Outer Diameter: 50 mm Outer Thread: M27 x 1.5 mm Outer Thread: M30 x 1.5 mm Cone Size: 32 mm Fitting Position: Front Axle left and right Pipe Ø: 50 mm Weight: 13.955 kg
	DRAG LINK	6313300603	Mercedes: 100. O	Length: 686 mm Outer Thread: M 18 x 1.5 mm Outer Thread: M 12 x 1.5 mm Cone Size: 21 mm Pipe Ø: 30 mm Weight: 3.270 kg Required quantity: 1
	DRAG LINK	3093301403 3093302103 3093301903 3093301203	Mercedes: T2/L	Length: 1476 mm Outer Thread: M 14 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 18 mm Colour: Black Fitting Position: Front Axle Pipe Ø: 40 mm Weight: 12 kg
	DRAG LINK	676 330 05 03 676 330 10 03 676 330 03 03 676 330 08 03	Mercedes: LK/LN2. O	Length: 1546 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Fitting Position: Front Axle Pipe Ø: 40 mm Weight: 8.109 kg
	DRAG LINK	3433300103 3433300303 3433300403	Mercedes: MK. NG. SK	Length: 1550 mm Cone Size: 30 mm Pipe Ø: 50 mm Weight: 13.2kgs
	DRAG LINK	942 330 09 03 942 330 19 03 942 330 05 03 942 330 06 03	Mercedes Actros. Atego. Axor	Length: 1565 mm Outer Diameter: 50 mm Cone Size: 32 mm Fitting Position: Front Axle Pipe Ø: 50 mm M27*1.5 M30*1.5 Weight: 13.007 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	6703300203 6703300103 6693300403 6703300003	Mercedes: T2/LN1. Vario	Length: 1594 mm Outer Diameter: 40 mm Outer Thread: M 18 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 22 mm Fitting Position: Front Axle Pipe Ø: 40 mm Weight: 6.300 kg
	DRAG LINK	3853300503 3853301103 3853301503 3453307803	Mercedes LK/LN2. MK. NG. O	Length: 1611 mm Outer Diameter: 46 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Colour: red/brown Fitting Position: Front Axle Pipe Ø: 46 mm Weight: 9.547 kg
	DRAG LINK	3813300603 3813300303 3813300703 3583300103	Mercedes: LK/LN2. LP. NG	Length: 1638 mm Outer Diameter: 36 mm Outer Thread: M 18 x 1.5 mm Outer Thread: M 28 x 1.5 mm Cone Size: 22 mm Fitting Position: Front Axle Pipe Ø: 36 mm Weight: 8.738 kg
	DRAG LINK	9493301803 9493301203 9493302203	Mercedes: Actros. Atego. Axor	Length: 1532 mm Outer Diameter: 50 mm Outer Thread: M27 x 1.5 mm Cone Size: 32 mm Rod/Strut: Guide Rod Fitting Position: Front Axle Pipe Ø: 50 mm Weight: 12.834 kg
	DRAG LINK	6283200089 6283201089	Mercedes. Setra	Length: 260 mm Outer Thread: M 20 x 1.5 mm Pipe Ø [mm]:36 Fitting Position: Front Axle Left Weight: 1.4 kg
	DRAG LINK	6283201389	Mercedes. Setra	Length: 260 mm Outer Thread: M 20 x 1.5 mm Cone Size: 26 mm Pipe Ø [mm]:36 Material: Aluminium Rod/Strut: Coupling Rod Fitting Position: Rear Axle Right Weight: 1.4 kg
	DRAG LINK	0024606205 0024606105	Actros. Atego. Axor	Length: 893 mm Cone Size: 32 mm Pipe Ø: 38 mm Weight :6.75kgs M27*1.5 M24*1.5

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	9413300203 9413300103 9413300303 9413300003	Actros. Atego. Axor. Econic	Length: 1735 mm Outer Diameter: 50 mm Outer Thread: M 27 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 32 mm Pipe Ø: 50 mm Weight: 14.414 kg
	DRAG LINK	9453300003 9453300103 9453300403 9453300603	Actros. Atego. Axor. Econic	Length: 1735 mm Thickness: 7 mm Outer Thread: M 27 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 32 mm Fitting Position: Front Axle Fitting Position: Centre Pipe Ø: 62 mm Weight: 19.364 kg
	DRAG LINK	3554602305	Mercedes:MK	Rod/Strut: Push Rod Length: 680 mm Cone Size: 30 mm Pipe Ø: 42mm weight:6.8kgs M27*1.5 M30*1.5
	DRAG LINK	0034604105 0024605905 0024606005	Mercedes: Actros	Rod/Strut: Push Rod Length: 935 mm Cone Size: 30 mm Pipe Ø: 38 mm Cone Size: 32 mm
	DRAG LINK	0034605105 0024607705	Mercedes: X-CAP	Rod/Strut: Push Rod Length: 916 mm Cone Size: 28.6 mm Pipe Ø: 36 mm
	DRAG LINK	0024606205 0024606105 0034604205	Mercedes: Actros. Atego. Axor	Adjustable: on one side Length: 893 mm Cone Size: 32 mm Pipe Ø: 38 mm
	DRAG LINK	4274600405 4274600005 4244600305 4274600105	Mercedes: Unimog	Adjustable: on one side Length: 882 mm Cone Size: 26 mm Pipe Ø: 38 mm
	DRAG LINK	6343260116 6343260616 N0195043	Mercedes: Touro	Rod/Strut: Coupling Rod Length: 300 mm Pipe Ø: 36 mm Cone Size: 26 mm

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	6343260016 6343260516	Mercedes: Touro	Rod/Strut: Coupling Rod Length: 300 mm Pipe Ø: 36 mm Cone Size: 26 mm
	DRAG LINK	6283200189 6283201289	Mercedes: Citaro. Conecto Setra: Series	Length: 260 mm RHT Cone Size: 26 mm Pipe Ø: 36 mm Outer Thread: M 20 x 1.5 mm Weight: 1.4 kg
	DRAG LINK	6283200389 6283201389	Mercedes: Citaro. Conecto Setra: Series	Length: 260 mm LHT Cone Size: 26 mm Pipe Ø: 36 mm Outer Thread: M 20 x 1.5 mm Weight: 1.4 kg
	DRAG LINK	6313300503 6313300703	Mercedes: 100 bus 631 O100 . Chassia (631)	Length: 300 mm Cone Size: 20 mm Pipe Ø: 36 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 16 x 1.5 mm Weight: 1.4 9kg
	DRAG LINK	6673300603 6673300303 6673300403 6673300503	MERCEDES BENZ	Length: 1600 mm Thickness: 36 mm Outer Diameter: 36 mm Outer Thread: M14 x 1.5 mm Outer Thread: M20 x 1.5 mm Cone Size: 18 mm Fitting Position: Front Axle Weight: 5.520 kg
	DRAG LINK	0014608905 0024601305	Mercedes Actros. Atego. Axor	Length: 1255 mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 10.067 kg
	DRAG LINK	0014609005 0014609105	Mercedes: Actros	Length: 1558 mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 11.857 kg
	DRAG LINK	0034603305 0014601505 0014607305 3754601605	Mercedes Actros. Axor. Econic	Length: 733 mm Inner Thread: M30 x 1.5 mm Outer Thread: M27 x 1.5 mm Cone Size: 32 mm Rod/Strut: Push Rod Pipe Ø: 36 mm Weight: 5.81 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	0004608505 0024601005	Mercedes: Actros	Length: 2069 mm Inner Thread: M30 x 1.5 mm Outer Thread: M27 x 1.5 mm Cone Size: 30 mm Pipe Ø: 40 mm
	DRAG LINK	4374600105 4254600105 4254600205 4374600005	UNIMOG.1000-1350 1400-1750 1800-2050 2100-2450 2500-5000	Length: 1000 mm Inner Thread: M30 x 1.5 mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Pipe Ø: 38 mm Weight: 6.15 kg
	DRAG LINK	4374600105 4254600105 4254600205 4374600005	UNIMOG.1000-1350 1400-1750 1800-2050 2100-2450 2500-5000	Length: 1100 mm Inner Thread: M30 x 1.5 mm Outer Thread: M24 x 1.5 mm Outer Thread: M20 x 1.5 mm Cone Size: 30 mm Cone Size: 26.2 mm Fitting Position: Front Axle Pipe Ø: 42 mm Weight: 9.045 kg
	DRAG LINK	3574601505 3574601405	MERCEDES BENZ	Length: 1066 mm Outer Diameter: 40 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Fitting Position: Front Axle Pipe Ø: 40 mm Weight: 7.566 kg
	DRAG LINK	9453300203 9453300503 9453300303	Mercedes: Actros. Atego. Axor. Econic	Length: 1465 mm Outer Diameter: 40 mm Cone Size: 32 mm Fitting Position: Front Axle Weight: 10.586 kg
	DRAG LINK	3023301403 3023301103 3023301603 3023301203	MERCEDES BENZ	Length: 1066 mm Outer Diameter: 40 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Fitting Position: Front Axle Pipe Ø: 40 mm Weight: 7.566 kg
	DRAG LINK	3574601005 3574601105 3574600405	Mercedes: O 405	Length: 988 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Fitting Position: Front Axle Pipe Ø: 36 mm Weight: 5.500 kg
	DRAG LINK	3574601205 3574601305 3054600605	Mercedes: O	Length: 1160 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Fitting Position: Front Axle Pipe Ø: 40 mm Weight: 8.500 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	3564600205 3574602205	Mercedes: O404. 405	Rod/Strut: Push Rod Length: 1007 mm Cone Size: 30 mm Pipe Ø: 38 mm
	DRAG LINK	3564630015 6134630015	MERCEDES BENZ	Length: 1708 mm Inner Thread: M30 x 1.5 RHT mm Inner Thread: M30 x 1.5 LHT mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Fitting Position: Front Axle Pipe Ø: 56 mm Weight: 12.123 kg
	DRAG LINK	3574603205 6714600105 6714600305	Mercedes Conecto (o 345	Length: 920 mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 36 mm Weight: 8.2 kg
	DRAG LINK	6714600205 3574603105 6714600005	Mercedes: Conecto. O	Rod/Strut: Push Rod Length: 1160 mm Cone Size: 30 mm Pipe Ø: 38 mm
	DRAG LINK	3563300103 6133300103	Mercedes O 404	Length: 506 mm Outer Diameter: 30 mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Fitting Position: Front Axle Pipe Ø: 30 mm Weight: 4.000kg
	DRAG LINK	3563300003 6133300003	Mercedes O 404 O405 ST Tourismo	Length: 697 mm Outer Diameter: 32 mm Cone Size: 30 mm Fitting Position: Front Axle Fitting Position: Outer Pipe Ø: 32 mm Weight: 5.10 kg
	DRAG LINK	3563300203	Mercedes O 404. O405 ST	Length: 645 mm Outer Diameter: 32 mm Cone Size: 30 mm Fitting Position: Front Axle Fitting Position: Outer Pipe Ø: 32 mm Weight: 5.10 kg
	DRAG LINK	3573300403 3573300203 3573300503	Mercedes O 404. O405 O408	Length: 645 mm Outer Diameter: 32 mm Cone Size: 30 mm Fitting Position: Front Axle Fitting Position: Outer Pipe Ø: 32 mm Weight: 5.10 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	3054600305 3004600705 3004600605	Mercedes O303 O307	Length: 975 mm• Outer Thread: M20 x 1.5 mm Outer Thread: M30 x 1.5 mm Cone Size: 26 mm Pipe Ø: 36 mm Weight: 5.296 kg
	DRAG LINK	3014600505 3004600405 3004600505	MERCEDES BENZ	Length: 1146 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Pipe Ø: 38 mm Weight: 6.929 kg
	DRAG LINK	3004600205 3004600305 3014600005 3014600105	MERCEDES BENZ	Length: 658 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 36 mm Weight: 4.500 kg
	DRAG LINK	3024600505 3024603905 3024604005 3734600905	Mercedes O304 tourismo	Length: 687 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 36 mm Weight: 4.500 kg
	DRAG LINK	3074600005 3074600505	Mercedes O 307 O305 Evobus	Length: 1130 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 44 mm Weight: 7.846 kg
	DRAG LINK	3074600405 3054600705	Mercedes O305	Length: 1000 mm Outer Diameter: 40 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Fitting Position: Front Axle Pipe Ø: 40 mm Weight: 7.250 kg
	DRAG LINK	6344600505 8226306000	Kässbohrer Evobus	Length: 670 mm Cone Size: 26 mm Pipe Ø: 40 mm Weight: 5 kg
	DRAG LINK	6284601205 6284600305	Kässbohrer Evobus	Length: 928 mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 42 mm Weight: 8.426 kg

DRAG LINK-BENZ

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	A3823300403 6283300003 3823300403	Mercedes Citaro. Conecto	Length: 1733 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Rod/Strut: Guide Rod Fitting Position: Front Axle Pipe Ø: 62 mm Weight: 18 kg
	DRAG LINK	6284601905	Mercedes Evobus	Rod/Strut: Push Rod Length: 661 mm Cone Size: 30 mm Pipe Ø: 38 mm
	DRAG LINK	6283300403	Mercedes: Capacity. Citaro Setra: Series	Rod/Strut: Guide Rod adjustable: Adjustable on both sides Length: 768 mm Cone Size: 26 mm Pipe Ø: 38 mm weight: 6.0kgs
	DRAG LINK	6284602005	Mercedes benz Evobus. Stera	Length: 566 mm Cone Size: 30 mm Pipe Ø: 36 mm weight: 5.5kgs
	DRAG LINK	6293300003 6293300603	Mercedes: Integro. Intouro. Turismo. Travego Setra: Series	Rod/Strut: Guide Rod adjustable: Adjustable on both sides Length: 880 mm Pipe Ø: 38 mm Cone Size: 30 mm weight: 7.5kgs
	DRAG LINK	6283200289 6283201189	MERCEDES BENZ	Rod/Strut: Coupling Rod Length: 260 mm Pipe Ø: 36 mm Thread Size: M20x1.5 Cone Size: 26 mm weight: 2.6kgs
	DRAG LINK	6283200089 6283201089	MERCEDES BENZ	Rod/Strut: Coupling Rod Length: 260 mm Pipe Ø: 36 mm Thread Size: M20x1.5 Cone Size: 26 mm weight: 2.6kgs
	DRAG LINK	0003200232 0003200932 6323200432	Mercedes: Integro. Intouro. Turismo. Touro. Travego	Length: 148 mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Coupling Rod Fitting Position: Front Axle Left Pipe Ø: 32 mm Weight: 3.1 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	0003200132 6323200332 0003200832	Mercedes: Integro. Intouro. Turismo. Touro. Travego	Length: 148 mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Coupling Rod Fitting Position: Front Axle Right Pipe Ø: 32 mm Weight: 3.1 kg
	DRAG LINK	6293200189 6283201489 6323200232 6323200532	Irizar: PB Mercedes: Integro. Intouro. Turismo. Touro. Travego	Length: 200 mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Coupling Rod Fitting Position: Rear Axle left and right Pipe Ø: 32 mm Weight: 3.424 kg
	DRAG LINK	6014601005 6014601305 6014601505 60 4601105	Mercedes T1/TN	Length: 483 mm Rod/Strut: Push Rod Pipe Ø: 26 mm Weight: 2.245 kg
	DRAG LINK	9014600505 2D0422803 05104091AA	Mercedes Benz . VW. Chrysler	Length: 460 mm Outer Thread: M16 x 1.5 mm Thread Length: 52 mm Fitting Position: Front Axle left and right Pipe Ø: 25 mm Weight: 1.292 kg
	DRAG LINK	6384600005 6384600205	Mercedes: V-Class. Vito	Length: 360 mm Outer Thread: M16 x 1.5 mm Fitting Position: Front Axle Weight: 1.190 kg
	DRAG LINK	3093301403 3093301903 3093301203 3093301603	Mercedes T2/L	Length: 1476 mm Outer Thread: M14 x 1.5 mm Outer Thread: M24 x 1.5 mm Cone Size: 18 mm Pipe Ø: 40 mm Weight: 6.200 kg
	DRAG LINK	6374600305 6374600505 6734600705 6734600905	Mercedes LK/LN2	Length: 725 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M18 x 1.5 mm Thread Type: with right-hand thread Cone Size: 22 mm Pipe Ø: 36 mm Weight: 4.176 kg
	DRAG LINK	6684601505 6684601705 6684601905	Mercedes: T2/LN1. Vario	Length: 505 mm Inner Thread: M24 x 1.5 RHT mm Outer Thread: M16 x 1.5 mm Cone Size: 18 mm pipe:28mm Rod/Strut: Push Rod Weight: 1.985 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	6674600705 6674601005	Mercedes T2/LN1	Length: 505 mm Inner Thread: M22 x 1.5 mm Outer Thread: M14 x 1.5 mm Cone Size: 18 mm Rod/Strut: Push Rod Fitting Position: Front Axle Left Pipe Ø: 28 mm Weight: 3 kg
	DRAG LINK	6684602405 6684602305	Mercedes: T2/LN1. Vario	Length: 495 mm Inner Thread: M24 x 1.5 RHT mm Outer Thread: M14 x 1.5 mm Cone Size: 18 mm Rod/Strut: Push Rod Pipe Ø: 28 mm Weight: 2.285 kg
	DRAG LINK	0024600605	Mercedes Actros	Length: 708 mm Cone Size: 32 mm Pipe Ø: 40 mm Weight: 6.5 kg
	DRAG LINK	0024609205 0024609305	Mercedes Actros	Length: 708 mm Cone Size: 32 mm Pipe Ø: 40 mm Weight: 6.5 kg
	DRAG LINK	9423301703 3574603505 9423301003	Mercedes Actros	Length: 1280 mm Cone Size: 30 mm Pipe Ø: 38 mm Weight: 8.2 kg
	DRAG LINK	6253300903 6253301203 9443300203 A6253300903	Mercedes Actros. Atego. SK	Length: 1588 mm Outer Thread: M30 x 1.5 mm Thread Length: 28.8 mm Cone Size: 38 mm Pipe: 60mm Fitting Position: Front Axle Weight: 26.45 kg
	DRAG LINK	9753300203 9753301603 9753300803 9753302503	Mercedes. Volvo	Length: 1605 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M24 x 1.5 mm Thread Type: with right-hand thread Cone Size: 30 mm Pipe Ø: 40 mm Weight: 11.4 kg
	DRAG LINK	6174603505 6174603605	Mercedes MK. NG	Length: 870 mm Outer Diameter: 42 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 8.13 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	3874600605 3874604405 3874604505	Mercedes NG	Length: 865 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Cone Size: 25 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 6.796 kg
	DRAG LINK	39 4603005 3964604805	Mercedes SK	Length: 975 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Fitting Position: Front Axle Pipe Ø: 42 mm Weight: 8.740 kg
	DRAG LINK	0004601105 0004601005	Mercedes MK	Length: 825 mm Cone Size: 30 mm Pipe Ø: 42 mm Weight: 7.7 kg
	DRAG LINK	0014600605 0014600505	Mercedes SK	Fitting Position: Driver side Length: 870 mm Cone Size: 32 mm Pipe Ø: 42 mm Rod/Strut: Push Rod
	DRAG LINK	0004600705	Mercedes SK	Rod/Strut: Push Rod Length: 885 mm Cone Size: 30 mm Pipe Ø: 42 mm
	REPAIR KIT FOR LINK	0003500613 0005861135 0003501113	LP.LPL.LPS.MK.NG.SK	Length: 152mm Outer Diameter: 85 mm Bore Ø 1 / Bore Ø 2: 21/21 mm Fitting Position: Outer Fitting Position: Rear Axle left and right Weight: 1.55 kg
		93 192 618 93 161 720	IVECO	
	REPAIR KIT FOR LINK	0003500413 0005861235	HG.SK	Length: 152mm Thickness: 24 mm Outer Diameter: 95 mm Bore Ø 1 / Bore Ø 2: 21/21 mm Fitting Position: Rear Axle left and right Weight: 3.55 kg
		42493431 93192619	IVECO	
		81432706045 81432706040	MAN	
	REPAIR KIT FOR LINK	0003500113	NG.SK	Length: 152mm Thickness: 24 mm Outer Diameter: 108 mm Bore Ø 1 / Bore Ø 2: 21/21 mm Fitting Position: Rear Axle left and right Weight: 4.00 kg


DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	0003502705	NG.SK.ACTROS AXOR.ATEGO ZETROS	Length: 152mm Thickness: 24 mm Thickness: 76 mm Outer Diameter: 85 mm Bore Ø 1 / Bore Ø 2: 21/21 mm tting Position: Rear Axle left and right Weight:2.40 kg
	REPAIR KIT FOR LINK	0003504805 0003503305	ACTROS. AXOR. ATEGO	Length: 130mm Thickness: 30mm Thickness: 76 mm Outer Diameter: 85 mm Bore Ø 1 / Bore Ø 2: 23/23 mm tting Position: Rear Axle left and right Weight:2.40 kg
	REPAIR KIT FOR LINK	81432706126	MAN	
	REPAIR KIT FOR LINK	0000301411	ACTROS. AXOR. ATEGO	Length: 100mm Thickness: 20mm Outer Diameter: 67 mm Bore Ø 1 / Bore Ø 2: 17/17 mm tting Position: Rear Axle left and right Weight:2.4kg
	REPAIR KIT FOR LINK	0003502205 0003504505	ACTROS. AXOR. ATEGO ECONIC	Length: 130mm Thickness: 48 mm Thickness: 67 mm Thickness: 24mm Outer Diameter: 75 mm Bore Ø 1 / Bore Ø 2: 25/25 mm tting Position: Rear Axle left and right Weight:2.00kg
	REPAIR KIT FOR LINK	0003503605	ACTROS. AXOR.ZETROS	Length: 152mm Thickness: 24mm Outer Diameter: 108 mm Bore Ø 1 / Bore Ø 2: 25/25 mm tting Position: Rear Axle left and right Weight: 5.00kg
	REPAIR KIT FOR LINK	0003503705	ACTROS. AXOR.ZETROS	Length: 130mm Thickness: 30mm Outer Diameter: 85 mm Bore Ø 1 / Bore Ø 2: 23/23 mm tting Position: Rear Axle left and right Weight: 2.4.00kg
	REPAIR KIT FOR LINK	0003503105	ACTROS. AXOR. ATEGO ECONIC	Length: 152mm Thickness: 24mm Outer Diameter: 85 mm Bore Ø 1 / Bore Ø 2: 25/25mm tting Position: Rear Axle left and right Weight: 2.4.00kg


DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	0003502605	ACTROS. AXOR. ATEGO	Length: 152mm Thickness: 24mm Outer Diameter: 75mm Bore Ø 1 / Bore Ø 2: 21/21mm tting Position: Rear Axle left and right Weight: 2.4.00kg
	REPAIR KIT FOR LINK	0003504705 0003502005	ACTROS. AXOR. ATEGO ECONIC	Length: 130mm Thickness: 43 mm Thickness: 59 mm Thickness: 24mm Outer Diameter: 67mm Bore Ø 1 / Bore Ø 2: 23/23mm tting Position: Rear Axle left and right Weight: 1.80kg
	REPAIR KIT FOR LINK	0003504405 0003502305 0003504005	ACTROS AXOR ATEGO ECONIC	Length: 152mm Thickness: 58 mm Thickness: 76 mm Thickness: 24mm Outer Diameter: 85mm Bore Ø 1 / Bore Ø 2: 25/25mm tting Position: Rear Axle left and right Weight: 2.40kg
	REPAIR KIT FOR LINK	0003504605 0003502105	ACTROS. AXOR	Length: 152mm Thickness: 24mm Outer Diameter: 75mm Bore Ø 1 / Bore Ø 2: 25/25mm tting Position: Rear Axle left and right Weight: 2.40kg
	REPAIR KIT FOR LINK	0003504905 0003502405 0003503505	ACTROS. AXOR	Length: 152mm Thickness: 24mm Outer Diameter: 100mm Bore Ø 1 / Bore Ø 2: 25/25mm tting Position: Rear Axle left and right Weight: 4.40kg
	REPAIR KIT FOR LINK	0003502805	ACTROS. AXOR	Length: 130mm Thickness: 24mm Outer Diameter: 85mm Bore Ø 1 / Bore Ø 2: 25/25mm tting Position: Rear Axle left and right Weight: 2.40kg
	REPAIR KIT FOR LINK	0003300075	O305.O307. O405.O407. O408	Length: 130mm Thickness: 30mm Outer Diameter: 85mm Bore Ø 1 / Bore Ø 2: 16/16mm tting Position: Rear Axle left and right Weight: 2.40kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	0003300207	O405	Length: 130mm Thickness: 24mm Outer Diameter: 75mm Bore Ø 1 / Bore Ø 2: 19/19mm tting Position: Rear Axle left and right Weight: 2.0kg
	REPAIR KIT FOR LINK	0003300611	O405	Length: 130mm Thickness: 30mm Outer Diameter: 85mm Bore Ø 1 / Bore Ø 2: 19/19mm tting Position: Rear Axle left and right Weight: 2.3kg
		42535446	IVECO	
		Y05683608	PACCAR	
		48102040	Jcb landpower	
		0003300611 A0003300611	MERCEDES BENZ	
		81432206104	MAN	
		42535446	Irisbus	
	REPAIR KIT FOR LINK	0003300511	CITARO. O405	Length: 130mm Thickness: 24mm Outer Diameter: 67mm Bore Ø 1 / Bore Ø 2: 19/19mm tting Position: Rear Axle left and right Weight: 1.8kg
		1321 936	DAF	
		093163617 093163617	IVECO	
		0003300511	MERCEDES BENZ	
	REPAIR KIT FOR LINK	0003300707	CITARO .O405. O407.O408	Length: 115mm Thickness: 24mm Outer Diameter: 75mm Bore Ø 1 / Bore Ø 2: 17/17mm tting Position: Rear Axle left and right Weight: 1.8kg
		0689748	DAF	
		271187	VOLVO	
		0550806	SCANIA	
		81432706064	MAN	
		0003300707	Evobus	
	REPAIR KIT FOR LINK	0003302111	CITARO . O405.BUS CHASSIS. O500-U	Length: 115mm Thickness: 24mm Outer Diameter: 67mm Bore Ø 1 / Bore Ø 2: 17/17mm tting Position: Rear Axle left and right Weight: 1.8kg
		000 330 26 11 000 330 25 11	Evobus	
	REPAIR KIT FOR LINK	0003302611 0003302511	O403.O345. CONECTO	Length: 90mm Thickness: 20mm Outer Diameter: 56mm Bore Ø 1 / Bore Ø 2: 15/15mm tting Position: Rear Axle left and right Weight: 1.5kg
	REPAIR KIT FOR LINK	0003500506 0003200011	MERCEDES BENZ	Length: 130mm Thickness: 30mm Outer Diameter: 85mm Bore Ø 1 / Bore Ø 2: 19/19mm
		689749	DAF	
		1104335	SCANIA	
		239310	Bova	
		653770	Dennis	

DRAG LINK-BENZ

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
		1101 3547	Neoplan	tting Position: Rear Axle left and right Weight: 2.3kg
		81953020037	MAN	
		8226232066	Kässbohrer Evobus	
		5001842823	Renault	
		000 350 05 06	Evobus	
	REPAIR KIT FOR LINK	0003300211		Length: 130mm Thickness: 24mm Outer Diameter: 85mm Bore Ø 1 / Bore Ø 2: 19/19mm tting Position: Rear Axle left and right Weight: 2.3kg
	REPAIR KIT FOR LINK	0003500906	tourismo(O350) O405 TRAVRGO O508	Length: 130mm Thickness: 30mm Outer Diameter: 85mm Bore Ø 1 / Bore Ø 2: 19/19mm Fiting Position: Rear Axle left and right Weight: 2.3kg
		4253 6819	IVECO	
		1435944	SCANIA	
		0003500906	Evobus	
	REPAIR KIT FOR LINK	0003501005	O404. O43. TOURISMO	Length: 115mm Thickness: 24mm Outer Diameter: 67mm Bore Ø 1 / Bore Ø 2: 15/15mm tting Position: Rear Axle left and right Weight: 1.8kg
	REPAIR KIT FOR LINK	0003501305	O404. O403. TOURISMO BUS CHASSIS	Length: 130mm Thickness: 24mm Outer Diameter: 75mm Bore Ø 1 / Bore Ø 2: 17/17mm tting Position: Rear Axle left and right Weight: 2.3kg
	REPAIR KIT FOR LINK	0003300410 0003501205	O403. TOURISMO. O404.O405	Length: 126mm Thickness: 24mm Outer Diameter: 75mm Bore Ø 1 / Bore Ø 2: 19/19mm tting Position: Rear Axle left and right Weight: 2.3kg
	REPAIR KIT FOR LINK	0003500905	O403. TOURISMO. O404.O405	Thickness: 53.6 mm Thickness: 72.4 mm Outer Diameter: 94.7 mm Inner Thread: M24 x 1.5 mm Weight: 1.97 kg Thread Size: M24 x 1.5 Inner Diameter 1: 35 mm Inner Diameter 2: 45 mm
	REPAIR KIT FOR LINK	0003501905	MK.SK.NG. TOURISMO. O403.O404.O405	Steering Type: for wishbone (CV) Inner Diameter: 45 mm Outer Diameter: 94 mm Length: 72.5 mm

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	0003501013	NG:2219. 2224	Thickness: 54 mm Thickness: 75 mm Thickness: 173.5 mm Outer Thread: M39 x 1.5 mm Thread Length: 36 mm Cone Size: 45 mm Diameter: 85 mm Weight: 3.21 kg
	REPAIR KIT FOR LINK	0005860632		
	REPAIR KIT FOR LINK	0003501805 0003501405	Mercedes MK. SK	Length: 152 mm Diameter: 65 mm Fitting Position: Rear Axle left and right Weight: 2.59 kg
	REPAIR KIT FOR LINK	0003500205	MK.NG	Steering Type: for wishbone (CV) Diameter: 65 mm Diameter: 80 mm Thickness: 60 mm Weight: 1.28 kg
	REPAIR KIT FOR LINK	3435860032 0005861633		Length: 160 mm Outer Diameter: 65 mm Outer Thread: M 39 x 1.5 mm Cone Size: 45 mm Weight: 3.145 kg
	REPAIR KIT FOR LINK	0005860132		Diameter [mm]:80 Bore Ø [mm]19 Bore Distance [mm]:152 Remark
	REPAIR KIT FOR LINK	0005861533	MERCEDES BENZ	
	REPAIR KIT FOR LINK	0693778 5001014345 93161371	DAF Renault Trucks Mercedes	Thickness: 24 mm Inner Diameter: 21 mm Outer Diameter: 65 mm Outer Diameter: 80 mm Bore Ø 1 / Bore Ø 2: 21 mm Hole Pitch 1/ Hole Pitch 2: 152 Fitting Position: Rear Axle Weight: 2.590 kg

DRAG LINK-BENZ				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	000 350 01 05 81432706047	Mercedes: MK. NG. SK	Fitting Position: Rear Axle Weight: 2.170 kg
	REPAIR KIT FOR LINK	0005860135 0003500405 0005861833 0005861933	Mercedes: MK. NG. SK	Thickness: 60 mm Diameter: 78 mm Weight: 2.85 kg
	REPAIR KIT FOR LINK	0003237985 0003237485 0003237585	Actros.AXOR ATEGO.ZETOR	Inner Diameter: 40 mm Outer Diameter: 70 mm Fitting Position: Front Width 1: 46 mm Width 2: 36 mm Weight: 0.335 kg
	REPAIR KIT FOR LINK	0003501705	MK. SK	Thickness: 67 mm Inner Diameter: 36 mm Outer Diameter: 108 mm Weight: 2.05 kg
	REPAIR KIT FOR LINK	0003250896 0003250696 0003250496	ACTROS. AXRO.ATEGO	Length: 230 mm Length: 210 mm Width: 165 mm Width: 135 mm Thickness: 120 mm Weight: 9.78 kg
	REPAIR KIT FOR LINK	0003250596 0003250796	ACTROS AXRO ATEGO	Length: 230 mm Length: 210 mm Thickness: 152 mm Width 1: 165 mm Width 2: 135 mm Weight: 11.4 kg
	REPAIR KIT FOR LINK	9402401318	Mercedes Actros	Fitting Position: Rear Bearing Type: Rubber-metal Bearing Weight: 4.266 kg
	REPAIR KIT FOR LINK	9423172012 9423171212 9423170912 9403171112	Mercedes Actros Antos. Arocs Atego.	Material: Steel Elastomer Fitting Position: Front Weight: 1.664 kg

DRAG LINK-BENZ

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	0003264781 0003264481	Mercedes Actros	Width: 56 mm Inner Diameter: 58 mm Outer Diameter: 78 mm Fitting Position: Rear Weight: 0.22 kg
	REPAIR KIT FOR LINK	0003250785 0003250885 0003250285	Mercedes Actros	Length: 106 mm Inner Diameter: 24 mm Outer Diameter: 62 mm Material: Steel Elastomer Fitting Position: Rear Axle Weight: 1.294 kg

DRAG LINK-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	1592940	Volvo FL7. FL10.FL12	Length: 823 mm Outer Diameter: 50 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 31.5 mm Rod/Strut: Push Rod Pipe Ø: 50 mm Weight: 8.3 kg
	DRAG LINK	107553 20393061 3988697 3988695	Volvo: FH. FM	Length: 881 mm Outer Diameter: 52 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 28.6 mm Rod/Strut: Push Rod Pipe Ø: 52 mm Weight: 9 kg
	DRAG LINK	1075005	Volvo: FH12 FH16	Length: 863 mm Outer Diameter: 52 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 28.6 mm Rod/Strut: Push Rod Pipe Ø: 52 mm Weight: 8.3 kg
	DRAG LINK	1576092 606283	Volvo: F10 F12 F16	Length: 870 mm Outer Diameter: 42 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 31.5 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 8.1 kg
	DRAG LINK	1610338 1626751	Volvo: F10 F12 F16	Length: 850 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Thread Length: 28.6 mm Cone Size: 31.5 mm Colour: Grey Pipe Ø: 42 mm Weight: 7.97 kg
	DRAG LINK	1075663 20393069 3988704	Volvo: FH. FM	Length: 861 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 20 x 1.5 mm Cone Size: 28.6 mm Rod/Strut: Push Rod Weight: 12.5 kg
	DRAG LINK	1626493 1588263 1606277	Volvo: FH. FM	Length: 710 mm Outer Diameter: 40 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 31.5 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 7.4 kg

DRAG LINK-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	1588017 1577080 1505857	Volvo: N7 N10	Length: 738 mm Outer Diameter: 42 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 31.5 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 7.5 kg
	DRAG LINK	20497800 3112122 9959153 85114185	Volvo: B Irizar: PB	Length: 763 mm Outer Diameter: 38 mm Inner Thread: M 30 x 1.5 mm Outer Thread: M 20 x 1.5 mm Cone Size: 28.6 mm Rod/Strut: Push Rod Pipe Ø: 38 mm Weight: 5.555 kg
	DRAG LINK	85114144 1592939	Volvo: FL7 FL10 FL12	Length: 823 mm Outer Diameter: 50 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 31.5 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 8 kg
	DRAG LINK	1613562	Volvo	Length: 880 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M24 x 1.5 mm Cone Size: 31.5 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 42 mm Weight: 8.4 kg
	DRAG LINK	1075664 1691705 20393063	Volvo: FH. FL. FM	Driver Position: for right-hand drive vehicles Length: 861 mm Weight: 8.12 kg Pipe Ø: 52 mm Thread Size: M20 x 1.50 RHT Thread Size: M30 x 1.50 RHT Cone Size: 28.6 mm
	DRAG LINK	1628635 20393079 3988708 3988710	Volvo: FH12 FH16	Length: 869 mm Inner Thread: M 30 x 1.5 mm Outer Thread: M 20 x 1.5 mm Cone Size: 28.6 mm Fitting Position: Front Axle Pipe Ø: 50 mm Weight: 8.4 kg

DRAG LINK-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	1628635 20393079 3988708 3988710	Volvo: FH12 FH16	Length: 870 mm Outer Diameter: 42 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 31.5 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 7.8 kg
	DRAG LINK	6790572 20400941	Volvo: FL6	Length: 871 mm Outer Diameter: 42 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 7.2 kg
	DRAG LINK	1628635 20393079 3988708 3988710	Volvo: FH12 FH16	Length: 871 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 52 mm Weight: 8.750 kg
	DRAG LINK	3988698 8156657 3988700 20393059	Volvo: FM 7 FM10 FH12 FM16	Length: 881 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 28.6 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 58 mm Weight: 9.020 kg
	DRAG LINK	6799190	Volvo: FL6	Length: 893 mm Outer Diameter: 40 mm Outer Thread: M 22 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 7.5 kg
	DRAG LINK	6791948	Volvo: FL6 FL	Length: 978 mm Outer Diameter: 30 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 22 mm Rod/Strut: Push Rod Pipe Ø: 30 mm Weight: 3.8 kg

DRAG LINK-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	8132373	Volvo	Length: 1022 mm Cone Size: 31.5 mm Pipe Ø: 62 mm
	DRAG LINK	1197339	Volvo B12	Length: 1028 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 31.5 mm Rod/Strut: Push Rod Weight: 13.5 kg
	DRAG LINK	1197338	Volvo B12	Length: 1028 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 31.5 mm Rod/Strut: Push Rod Weight: 14 kg
	DRAG LINK	3116050	Volvo	Length: 1822 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 31.5 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 50 mm Weight: 14.5 kg
	DRAG LINK	70311662 20426652 85115635	Volvo B7	Rod/Strut: Guide Rod adjustable: Adjustable on one side Length: 1728 mm Cone Size: 28.6 mm Pipe Ø: 48 mm
	DRAG LINK	20497798 9959151 85114240 3112050	Volvo B6 B7 B10 B12	Length: 300 mm Thickness: 100 mm Outer Diameter: 36 mm Outer Thread: M 20 x 1.5 mm Cone Size: 28.6 mm Fitting Position: Front Axle Weight: 3.4 kg
	DRAG LINK	20477807 3944046	Volvo FH. FM	Length: 340 mm Outer Thread: M18 x 1.5 mm Cone Size: 22 mm Rod/Strut: Coupling Rod Fitting Position: Front Axle left and right Pipe Ø: 30 mm Weight: 1.5 kg

DRAG LINK-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	1629668 22477805	Volvo: FH. FM. NH	Length: 327 mm Outer Thread: M18 x 1.5 mm Rod/Strut: Coupling Rod Fitting Position: Front Axle Weight: 2.175 kg
	DRAG LINK	3986433	FH12. FH16 FM10. FM12 FM7. FM9	Length: 327 mm Outer Thread: M18 x 1.5 mm Rod/Strut: Coupling Rod Fitting Position: Front Axle Weight: 2.175 kg
	DRAG LINK	3987355	Volvo: FH. FM	Length: 380 mm Outer Thread: M20 x 1.5 mm Cone Size: 28.6 mm Rod/Strut: Coupling Rod Fitting Position: Rear Axle left and right Pipe Ø: 36 mm Weight: 3.656 kg
	DRAG LINK	3987354 3173613	Volvo: FH12. FH16. FM10. FM12. FM7. FM9	Length: 438 mm Outer Thread: M20 x 1.5 mm Cone Size: 28.6 mm Rod/Strut: Coupling Rod Fitting Position: Rear Axle Weight: 7.2 kg
	DRAG LINK	20477803	Volvo FH. FM	Length: 275 mm Outer Thread: M18 x 1.5 mm Cone Size: 22 mm Rod/Strut: Coupling Rod Fitting Position: Front Axle left and right Pipe Ø: 30 mm Weight: 2 kg
	DRAG LINK	20443061 20443065 20994418	VOLVO FM12 FH16 FH12 FM9	Length: 435 mm Outer Thread: M22 x 1.5 mm Cone Size: 28.9 mm Rod/Strut: Coupling Rod Fitting Position: Rear Axle Pipe Ø: 36 mm Weight: 4.39 kg

DRAG LINK-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	20443063 20443067 20994420 3173615	Volvo: FM12 FH16 FH12 FM9	Length: 350 mm Outer Thread: M22 x 1.5 mm Cone Size: 28.9 mm Pipe Ø: 36 mm Weight: 4.13 kg Vehicles Volvo: FH. FL. FM
	DRAG LINK	20994419 20443062	Volvo: FM12 FH16 FH12 FM9	Length: 380 mm Outer Thread: M 22 x 1.5 mm Cone Size: 28.9 mm Rod/Strut: Coupling Rod Fitting Position: Rear Axle Pipe Ø: 36 mm Weight: 4.23 kg
	DRAG LINK	1626492 1581126 1606278	Volvo: N10 N12 NL10 NL12	Length: 758 mm Inner Thread: M30 x 1.5 mm Outer Thread: M24 x 1.5 mm Cone Size: 31.5 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 42 mm Weight: 7.15 kg
	DRAG LINK	1 083 744	Volvo: F10 F12 F16	Length: 840 mm Outer Thread: M24 x 1.5 mm Outer Thread: M30 x 1.5 mm Cone Size: 31.5 mm Diameter: 42 mm Weight: 7.8 kg
	DRAG LINK	1626493 1606277 1588263 1584620	VOLVO F10 F12 F16	Length: 710 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 31.5 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 7.4 kg
	DRAG LINK	1626750 1610074	Volvo: F10 F12 F16	Length: 850 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 31.5 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 7.65 kg
	DRAG LINK	1606282 1587489 1576816	VOLVO F10 F12 F16	Length: 940 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 31.5 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 8.1 kg

DRAG LINK-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	21106936 20390745	VOLVO FH FM	Length: 885 mm Outer Diameter: 50 mm Outer Thread: M 20 x 1.5 mm Cone Size: 28.6 mm Rod/Strut: Push Rod Fitting Position: Front Axle Weight: 8.625 kg
	DRAG LINK	21106968 20390746	Volvo:FH12 FH16 FM10 FM12 FM7 FM9	
	DRAG LINK	20393073 8190147	Volvo:FH12 FH16 FM10 FM12 FM7 FM9	Length: 888 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Cone Size: 28.6 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 52 mm Weight: 9.36 kg
	DRAG LINK	3988698 8156657 3988700 20393059	Volvo:FH12 FH16 FM10 FM12 FM7 FM9	Length: 881 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 28.6 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 58 mm Weight: 9.020 kg
	DRAG LINK	6790766 6790607 20400942	Volvo:FH12 FH16 FM10 FM12 FM7 FM9	Rod/Strut: Push Rod Length: 871 mm Cone Size: 26 mm Pipe Ø: 42 mm
	DRAG LINK	20393187 20375556 21106952	Volvo:FH12 FH16 FM10 FM12 FM7 FM9	Length: 863 mm Outer Thread: M 20 x 1.5 mm Cone Size: 29 mm Rod/Strut: Push Rod Diameter: 52 mm Fitting Position: Front Axle Weight: 9 kg
	DRAG LINK	20393186 20375555 21106930 3986452	Volvo:FH12 FH16 FM10 FM12 FM7	Length: 863 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 28.6 mm Rod/Strut: Push Rod Diameter: 52 mm Weight: 9.500 kg

DRAG LINK-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	1075006 85114190	Volvo:FH12 FH16	Length: 863 mm Outer Diameter: 52 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 28.6 mm Rod/Strut: Push Rod Pipe Ø: 52 mm Weight: 8.4 kg
	DRAG LINK	1075005	Volvo:FH12 FH16 FM10 FM12 FM7	Length: 863 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 28.6 mm Rod/Strut: Push Rod Pipe Ø: 52 mm Weight: 8.3 kg
	DRAG LINK	70313773 9959244	Volvo:FL6 FL610 F618 FS FS718	
	DRAG LINK	70313771 3159 437 9959243	Volvo:FL6 FL610 F618 FS7 FS718 B7R	
	DRAG LINK	20745923 9519278 20490123 21308022	Volvo: BUS B12M B10M B12B B10B	
	DRAG LINK	20490120 20745924 9519279	Volvo: BUS B12M B10M B12B B10B	Length: 1025 mm Outer Diameter: 60 mm Outer Thread: M 20 x 1.5 mm Cone Size: 28.8 mm Rod/Strut: Push Rod Weight: 15.625 kg
	DRAG LINK	20393083 1088985	Volvo: FH. FM	Length: 572 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 28.6 mm Rod/Strut: Push Rod Pipe Ø: 38 mm Weight: 4.500 kg
	DRAG LINK	20739087 9522701	Volvo:B6R B7R	Length: 770 mm Cone Size: 28.6 mm Pipe Ø: 38 mm

DRAG LINK-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	9521922	Volvo:B12B	Length: 150mm Cone Size: 28.6 mm Pipe Ø: 26 mm Weight: 1.9 kg
	DRAG LINK	9959503	B12B	Length: 150 mm Pipe Ø: 25 mm Cone Size: 31.5 mm
	DRAG LINK	70311665 3196401	VOLVO B12B	Rod/Strut: Push Rod Length: 805 mm Cone Size: 28.6 mm Pipe Ø: 42 mm
	DRAG LINK	3962343 3986450 1628637 3988711	Volvo: FH. FM NH B10 B12 FH12 FH16 FM12 NF12	Length: 1645 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 20 x 1.5 mm Cone Size: 28.6 mm Fitting Position: Front Axle Pipe Ø: 42 mm Weight: 12.5 kg
	DRAG LINK	8156123	Volvo:B10 B12 FH12 FH16 FM12	Rod/Strut: Guide Rod Length: 1674 mm Cone Size: 28.6 mm Pipe Ø: 42 mm adjustable: Adjustable on both sides
	DRAG LINK	21260286 20393097 1606897 3985570 1612254	Volvo: F. FH. FL. FM	Length: 1640 mm Outer Diameter: 58 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 14 x 1.5 mm Cone Size: 28.8 mm Rod/Strut: Push Rod Fitting Position: Front Axle Weight: 15.5 kg
	DRAG LINK	21260275 3198234	Volvo: FH. FM	Rod/Strut: Guide Rod adjustable: Adjustable on one side Length: 1660 mm Pipe Ø: 60 mm Cone Size: 28.6 mm Volvo: FH. FM

DRAG LINK-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	21260274 3198276	Volvo: F12 FH16 FM12 FM9	Length: 1634 mm Inner Thread: M 30 x 1.5 mm Outer Thread: M 20 x1.5 mm Cone Size: 28.6 mm Rod/Strut: Guide Rod Fitting Position: Front Axle left and right Pipe Ø: 50 mm Weight: 13.5 kg
	DRAG LINK	20361568 85115641	Volvo FL7. FL10.FL12	Length: 1640 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Thread Type: with right-hand thread Cone Size: 28.9 mm Fitting Position: Front Axle Pipe Ø: 50 mm Weight: 13.0 kg
	DRAG LINK	1194390	Volvo: B10 B12	Length: 1674 mm Outer Diameter: 42 mm Inner Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 31.5 mm Fitting Position: Front Axle Pipe Ø: 42 mm Weight: 13 kg
	DRAG LINK	1 626 494	Volvo F. FL. FS. N	Length: 1592 mm Inner Thread: M30 x 1.5 mm Outer Thread: M20 x 1.5 mm Thread Length: 30 mm Cone Size: 28.6 mm Pipe Ø: 42 mm Weight: 12.1 kg
	DRAG LINK	3099230 20830369	Volvo FL	Length: 1605 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Pipe Ø: 40 mm Weight: 9.010 kg
	DRAG LINK	3986637	Volvo:NH12	Length: 775 mm Cone Size: 28.6 mm Front Axle left and right Pipe Ø: 48 mm Weight: 9kg
	DRAG LINK	20400907 6771120	Volvo FL. FLC	Length: 1556 mm Inner Thread: M24 x 1.5 LHT mm Inner Thread: M24 x 1.5 RHT mm Outer Thread: M18 x 1.5 mm Cone Size: 22 mm Fitting Position: Front Axle Pipe Ø: 32 mm Weight: 10 kg

DRAG LINK-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	21252480 20374831	Volvo FH. FM	Length: 563 mm Pipe: 50 mm Inner Thread: M30 x 1.5 mm Outer Thread: M20 x 1.5 mm Cone Size: 28.6 mm Rod/Strut: Push Rod Fitting Position: Front Axle Weight: 6.8 kg
	DRAG LINK	20367555	Volvo FM	Length: 160 mm Cone Size: 28.6 mm Pipe Ø: 25 mm Weight: 2.4 kg
	DRAG LINK	1628637 3988711 3986450 3962343	Volvo FH. FM	Length: 1645 mm Inner Thread: M30 x 1.5 mm Outer Thread: M20 x 1.5 mm Cone Size: 28.6 mm Fitting Position: Front Axle Pipe Ø: 42 mm Weight: 12.5 kg
	DRAG LINK	20581086	Volvo FH12. FH16. FM9. FM12	Length: 1669 mm Inner Thread: M30 x 1.5 mm Outer Thread: M24 x 1.5 mm Cone Size: 27 mm Outer Length: 1737 mm Pipe Ø: 42 mm Weight: 13.2 kg
	DRAG LINK	20497799 3112273 9 959152	VOLVO B6.B6B. B7R. B9S.0B . B12.B12B	Length: 743 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Cone Size: 28.6 mm Pipe Ø: 40 mm Weight: 7.05 kg
	DRAG LINK	1194824 1626672	VOLVO B9S . B10M.B12M. FL7.FL10.FL12	Length: 822 mm Inner Thread: M30 x 1.5 RHT mm Inner Thread: M30 x 1.5 LHT mm Outer Thread: M24 x 1.5 mm Cone Size: 31.5 mm Pipe Ø: 42 mm Weight: 7.800 kg
	REPAIR KIT FOR LINK	273373 274019	DAF: 65. 75. 85. 95. F Volvo: F. FH. FL MAN: Lion. ÜL	Thickness: 30 mm Inner Diameter: 21 mm Outer Diameter: 85 mm Fitting Position: Rear Axle Weight: 2.643 kg

DRAG LINK-VOLVO

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	271187 11043031	DAF: 75. 85. 95 MAN: F. M Volvo: FH. FL. FM. NH	Thickness: 24 mm Inner Diameter: 17 mm Outer Diameter: 75 mm Fitting Position: Rear Axle left and right Fitting Position: Outer Weight: 1.810 kg
	REPAIR KIT FOR LINK	691703 93192618 0003500613 274068	Iveco: Volvo: F. FL DAF Mercedes	Thickness: 24 mm Inner Diameter: 21 mm Outer Diameter: 85 mm Fitting Position: Rear Axle left and right Fitting Position: Outer Weight: 2.762 kg
	REPAIR KIT FOR LINK	696321 1104336 274056 276192	DAF: 65. 75. 85. 95. F Volvo: F. FH. FL. NH	Length: 152 mm Thickness: 35 mm Inner Diameter: 23 mm Outer Diameter: 95 mm Steering Link Form: Four-point steering Fitting Position: Rear Axle Fitting Position: Outer Weight: 3.790 kg
	REPAIR KIT FOR LINK	81432706119 7420547286 1515981 20547286	Volvo: FE. FH. FM Renault Trucks: Kerax. Premium	Length: 150 mm Thickness: 24 mm Outer Diameter: 75 mm Mounting points diameter: 19 mm Fitting Position: Rear Axle left and right Weight: 1.750 kg
	REPAIR KIT FOR LINK	3093630S1 3093630	Volvo: FH. FM. NH	Width: 54.3 mm Width: 76.15 mm Thickness: 30 mm Outer Diameter: 85 mm Pitch Circle Ø: 21 mm Fitting Position: Outer Weight: 2.598 kg
	REPAIR KIT FOR LINK	1252284 93161960 8226296069	Volvo: F. FL DAF: 85. F	Thickness: 24 mm Inner Diameter: 21 mm Outer Diameter: 75 mm Weight: 1.854 kg
	REPAIR KIT FOR LINK	696320 81432706080 273706 276191	DAF: 75. 85. 95. CF. F MAN: E. F. Lion. TGA	Thickness: 61 mm Diameter: 80 mm Diameter: 90 mm Weight: 2.840 kg

DRAG LINK-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	81953016133 273375	Volvo:FL10. FL12. FL7 F2000	Length: 152 mm Thickness: 35 mm Inner Diameter: 23 mm Outer Diameter: 90 mm Outer Diameter: 80 mm Weight: 3.980 kg
	REPAIR KIT FOR LINK	2711886600	Volvo: FH. FL. FM	Thickness: 46 mm Outer Diameter: 65 mm Outer Diameter: 70 mm Fitting Position: Rear Axle Weight: 1.400 kg
	REPAIR KIT FOR LINK	274069	Volvo: FL10 FL12 F12	Diameter: 65 mm Fitting Position: inner Weight: 1.15 kg
	REPAIR KIT FOR LINK	3090712	Volvo:FH12. FH16. FM10. FM12. FM7. FM9	Thickness: 59 mm Inner Diameter: 11 mm Inner Diameter: 44 mm Outer Diameter: 90 mm Fitting Position: inner Weight: 1.95 kg
	REPAIR KIT FOR LINK	20741710 7420741710	Volvo: FH. FM Renault	
	REPAIR KIT FOR LINK	1598588	Volvo: F. FH. FL. FM. NH	Length: 125 mm Length: 30 mm Thickness: 20 mm Inner Diameter: 14 mm Outer Diameter: 91 mm Material: Steel Elastomer Fitting Position: Front Axle Fitting Position: Rear Axle Weight: 2.188 kg
	REPAIR KIT FOR LINK	1075255	Volvo B. F. FL	Length: 175.4 mm Thickness: 75 mm Thickness: 95 mm Outer Diameter: 138.8 mm Mounting points diameter: 14 mm Weight: 3.85 kg

DRAG LINK-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	1135080	Volvo B .F. FL. FM	Thickness: 85 mm Thickness: 74 mm Inner Diameter: 52 mm Outer Diameter: 92 mm Material: Steel Elastomer Weight: 0.792 kg
	REPAIR KIT FOR LINK	1628107	Volvo FH. FM	Length: 145 mm Length: 30 mm Thickness: 26 mm Inner Diameter: 15 mm Outer Diameter: 91 mm Fitting Position: Rear Axle left and right Weight: 3.65 kg
	REPAIR KIT FOR LINK	1577873 20390836 1629553 1622982	Volvo :FH12 FH16 FL10 FL12 FM7 FM10 FM12	Length: 210 mm Width: 134.4 mm Thickness: 148.4 mm Weight: 9.695 kg
	REPAIR KIT FOR LINK	20442252	Volvo :FM.NH.FE	Thickness: 70 mm Inner Diameter: 81 mm Inner Diameter: 103 mm Outer Diameter: 154 mm Outer Diameter: 172 mm Weight: 3.75 kg
	REPAIR KIT FOR LINK	1609768	Volvo F. FL	Length: 70 mm Length: 75 mm Inner Diameter: 53 mm Outer Diameter: 71 mm Outer Diameter: 79 mm Material: Elastomer Fitting Position: Rear Axle left and right Fitting Position: inner Weight: 0.278 kg
	REPAIR KIT FOR LINK	20390840	Volvo:FH12 FH16 FM7 FM9 FM10 FM12	Thickness: 70 mm Inner Diameter: 16 mm Outer Diameter: 56 mm Outer Diameter: 90 mm Fitting Position: Front Weight: 0.902 kg
	REPAIR KIT FOR LINK	21228153 20723224	Volvo:FH12. FH16.FM	Width: 212 mm Thickness: 128 mm Inner Thread: M20 x 2.5 mm Outer Length: 250 mm Fitting Position: Left Rear Fitting Position: Right Rear Bearing Type: Rubber-metal Bearing Weight: 4.890 kg

DRAG LINK-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	20399992 1076510 20399980	VOLVO	Width: 245.5 mm Mounting points diameter: 15 mm Fitting Position: Left and right Fitting Position: Rear Bearing Type: Rubber-metal Bearing Weight: 6.335 kg
	REPAIR KIT FOR LINK	3198122 1629614	Volvo:FH12.FH16	Fitting Position: Rear Fitting Position: Left and right Bearing Type: Rubber-metal Bearing Weight: 6.8 kg
	REPAIR KIT FOR LINK	20503551 1622825 7420503551	Volvo:FH12. FH16. FM12.FM16. NH12 RENAULT	Fitting Position: Front Fitting Position: Left and right Bearing Type: Rubber-metal Bearing Weight: 3.106 kg

DRAG LINK-MAN				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	81466116063 81466106313	MAN	Length: 895 mm Outer Diameter: 52 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 10.
	DRAG LINK	81466116062 81466106694	MAN: EM. Hocl. NM. SM	Adjustable: Adjustable on one side Length: 1705 mm Cone Size: 30 mm Cone Size: 26 mm Pipe Ø: 40 mm
	DRAG LINK	81466106654	MAN: EM. NM	Length: 1375 mm Cone Size: 26 mm Cone Size: 30 mm Pipe Ø: 40 mm
	DRAG LINK	81466106539 81466116053 81466106598 81466106053	MAN Lion. SÜ. ÜL	Adjustable: Adjustable on both sides Length: 2024 mm Cone Size: 30 mm Pipe Ø: 50 mm M24*1.5 M30*1.5
	DRAG LINK	81466106754	MAN: L	Length: 825 mm Outer Thread: M 18 x 1.5 mm Outer Thread: M 28 x 1.5 mm Cone Size: 22 mm Fitting Position: Front Axle Pipe Ø: 38 mm Weight: 4.680 kg
	DRAG LINK	81466106779 81466106780 81466106782	MAN: E. F	Length: 1060 mm Cone Size: 30 mm Rod/Strut: Push Rod Diameter: 48 mm Fitting Position: Front Axle Pipe Ø: 48 mm Weight: 11.5 kg Thread Size: M24 x 1.50 Thread Size: M30 x 1.50
	DRAG LINK	81466106301 81466106328 81466106305	MAN: G	Length: 785 mm Outer Diameter: 34 mm Outer Thread: M18 x 1.5 mm Outer Thread: M28 x 1.5 mm Cone Size: 22 mm Rod/Strut: Push Rod Pipe Ø: 34 mm Weight: 3.900 kg

DRAG LINK-MAN

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	85466106102 85466106030 85466106201	MAN: L	Length: 825 mm Outer Diameter: 32 mm Outer Thread: M 16 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 20 mm Rod/Strut: Push Rod Weight: 3.720 kg
	DRAG LINK	81466106721 81466106723 81466106334 81466116216	MAN: E. F	Length: 1040 mm Outer Diameter: 48 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 48 mm Weight: 8.210 kg
	DRAG LINK	81466106288 81466106088	MAN	Length: 800 mm Outer Diameter: 38 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Cone Size: 30 mm Pipe Ø: 38 mm Weight: 7.200 kg
	DRAG LINK	81467106436 81467106437 81467106455	MAN: M	Length: 955 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Fitting Position: Left Pipe Ø: 40 mm Weight: 6.900 kg
	DRAG LINK	81466116135 81466116134 81466116200 81466116206	MAN: TGA. TGS. TGX	Length: 967 mm Inner Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Diameter: 52 mm Fitting Position: at steering arm Weight: 10.53 kg
	DRAG LINK	81466116099 81466116197 81466116205 81466116136	MAN: TGA. TGS. TGX	Length: 993 mm Outer Diameter: 50 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Weight: 11 kg

DRAG LINK-MAN				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	81.46611.6004 81.46611.6005	MAN: F	Adjustable: Adjustable on one side Length: 1063 mm Cone Size: 30 mm Pipe Ø: 42 mm
	DRAG LINK	81466106648	MAN: E. Hocl	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 1145 mm Cone Size: 30 mm Pipe Ø: 50 mm weight:10.5kgs M24*1.5 M30*1.5L=120
	DRAG LINK	82466106079	MAN	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 1010mm Cone Size: 30 mm Pipe Ø: 548mm weight:10.5kgs
	DRAG LINK	81466106656 81466106659 81466106669	MAN: F	Length: 1070 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 48 mm Weight: 8.710 kg
	DRAG LINK	81466106606	MAN	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 1270 mm Cone Size: 30 mm Pipe Ø: 48 mm
	DRAG LINK	81466106799 81466106704 81466106798 81466106876	MAN: E. F	Length: 755 mm Outer Diameter: 40 mm Inner Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Guide Rod Weight: 6.5 kg
	DRAG LINK	81466106584	MAN: M	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 870 mm Cone Size: 30 mm Pipe Ø: 40 mm M24*1.5 M30*1.5

DRAG LINK-MAN

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	81466106691 81466116013	MAN: F 2000	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 1060 mm Cone Size: 30 mm Pipe Ø: 52 mm
	DRAG LINK	81466116201 81466116202 81466116138 81466116139	MAN: TGA, TGS	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 1021 mm Pipe Ø: 52 mm Cone Size: 30 mm
	DRAG LINK	81466106304 81466106327 81466106329 81466106281	MAN: G	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 785 mm Cone Size: 20 mm Cone Size: 22 mm Pipe Ø: 30 mm
	DRAG LINK	85466106143 85466106107	MAN: M	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 860 mm Cone Size: 30 mm Cone Size: 26 mm Pipe Ø: 38 mm
	DRAG LINK	85466106156	L2000 M2000	Length: 882 mm Outer Diameter: 40 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Fitting Position: Front Axle Weight: 5.855 kg
	DRAG LINK	85466106144 85466106108 85466106208	M2000	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 896 mm Cone Size: 30 mm Cone Size: 26 mm Pipe Ø: 38 mm
	DRAG LINK	81466116061 81466106654	MAN: EM, NM	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 1375 mm Cone Size: 26 mm Cone Size: 30 mm Pipe Ø: 40 mm

DRAG LINK-MAN				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	81466106803	F2000 L2000 M2000 M90	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 1340 mm Cone Size: 26 mm Cone Size: 24 mm Pipe Ø: 40 mm M20*1.5 M30*1.5
	DRAG LINK	81467106241 81467106239 81467106237	MAN MG	Rod/Strut: Guide Rod adjustable: Adjustable on both sides Length: 1520 mm Cone Size: 20 mm Pipe Ø: 28 mm
	DRAG LINK	81446106238	MAN:G8/G9 G10/G90	Length: 1430mm Outer Diameter: 34 mm Outer Thread: M 18x 1.5 mm Outer Thread: M 28 x 1.5 mm Cone Size: 30mm Weight: 7kg M28*1.5M18*1.5
	DRAG LINK	81466106725 85466106030 85466106102 85466106201	MAN: L	Length: 825 mm Outer Diameter: 32 mm Outer Thread: M 16 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 20 mm Rod/Strut: Push Rod Weight: 3.720 kg
	DRAG LINK	81467106879 81467106444 8.467106081 81467116760	MAN: R. SG. SL. SÜ	Length: 729 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Diameter: 40 mm Fitting Position: Front Axle Pipe Ø: 40 mm Weight: 6.240 kg
	DRAG LINK	81467116874 81467116770 81467116772 81467116782	MAN: Hocl. Lion. ÜL Irizar: PB Neoplan	Rod/Strut: Guide Rod adjustable: Adjustable on both sides Length: 661 mm Cone Size: 30 mm Pipe Ø: 38 mm M24*1.5 M30*1.5
	DRAG LINK	81467116878 81467116771 81467116877 81467116879	MAN	Rod/Strut: Guide Rod adjustable: not adjustable Length: 413 mm Cone Size: 30 mm Pipe Ø: 36 mm

DRAG LINK-MAN

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	85466106153 85466106126 85466106226 85466106026	MAN: M	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 1000 mm Cone Size: 30 mm Pipe Ø: 42 mm
	DRAG LINK	85466106150 85466106129 85466106119	MAN: M	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 910 mm Cone Size: 26 mm Pipe Ø: 40 mm
	DRAG LINK	85466106141 85466106105 85466106005 85466106205	MAN: M. TGL	Length: 787 mm Outer Diameter: 40 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Fitting Position: Front Axle Weight: 8.1 kg
	DRAG LINK	81466106790	MAN F2000	Length: 1749 mm Outer Diameter: 50 mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Guide Rod Pipe Ø: 50 mm Weight: 13.805 kg M24×1.5 M30×1.5
	DRAG LINK	81467106853 81467106852 81467116841 81467116719	MAN: L. M	Length: 1620 mm Outer Thread: M 28 x 1.5 mm Outer Thread: M 18 x 1.5 mm Cone Size: 22 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 36 mm Weight: 8 kg
	DRAG LINK	81467106866	MAN: L. TGA	Length: 1645 mm Inner Thread: M 24 x 1.5 mm Outer Thread: M 16 x 1.5 mm Cone Size: 20 mm Colour: Black Fitting Position: Front Axle Pipe Ø: 30 mm Weight: 5.3 kg
	DRAG LINK	81467106994 81467116726	MAN: E. F	Length: 1664 mm Inner Diameter: 46 mm Outer Diameter: 50 mm Cone Size: 30 mm Fitting Position: Front Axle Weight: 14 kg

DRAG LINK-MAN

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	81467106362 81467106904 81467106816 81467106397	MAN: E2000. E90. F2000. F90. M2000L. M2000M. M90	Adjustable: Adjustable on one side Length: 1636 mm Cone Size: 30 mm Pipe Ø: 50 mm M24*1.5 M30*1.5
	DRAG LINK	81467106163 81467106353 81467106165	MAN: E. F. M. TGA. TGS. TGX	Length: 1652 mm Outer Diameter: 50 mm Inner Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Pipe Ø: 50 mm Weight: 13.800 kg
	DRAG LINK	81467116933 81467106268 81467106356	MAN	Length: 1692 mm Inner Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Pipe Ø: 50 mm Weight: 14 kg
	DRAG LINK	81467106240 81467106411 81467106409 81467106242	MAN: G	Length: 1440 mm Outer Thread: M 18 x 1.5 mm Outer Thread: M 28 x 1.5 mm Thread Length: 22.75 mm Cone Size: 22 mm Fitting Position: Front Axle Pipe Ø: 34 mm Weight: 11kg
	DRAG LINK	81467106974 81467116712 81467106862 81467106863	MAN: EL. NG NL. NM	Length: 1689 mm Outer Thread: M38 x 1.5 mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Fitting Position: Front Axle left and right Pipe Ø: 50 mm Weight: 13.53 kg
	DRAG LINK	81467116860 81467116861 81467116773 81467116858	MAN: TGA	Length: 1679 mm Outer Thread: M1 = M24 x 1.5 mm Outer Thread: M2 = M30 x 1.5 mm Cone Size: 30 mm Fitting Position: Front Axle Pipe Ø: 52 mm Weight: 16.310 kg
	DRAG LINK	81466106790 81466106791 82466106191	MAN: E. F	Length: 1749 mm Outer Diameter: 50 mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Guide Rod Pipe Ø: 50 mm Weight: 13.805 kg M24*1.5 M30*1.5

DRAG LINK-MAN

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	81466106790 81466106791 82466106191	MAN: F	Rod/Strut: Push Rod adjustable: not adjustable Length: 1749 mm Cone Size: 30 mm Pipe Ø: 50 mm weight:13kgs
	DRAG LINK	81467106994 81467116726	MAN: E. F	Length: 1664 mm Inner Diameter: 46 mm Outer Diameter: 50 mm Cone Size: 30 mm Fitting Position: Front Axle Weight: 14 kg
	DRAG LINK	81467116736	MAN: E. F. Hocl. L. Lion. M. TGA. TGM. TGS Neoplan: Starliner. Tourliner. Trendliner	Length: 1588 mm Outer Diameter: 52 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Pipe Ø: 52 mm Weight: 15.100 kg
	DRAG LINK	81467116715 81467116823 81467116842 81467106992	Neoplan: Centroliner MAN: NG. NL. NM	Rod/Strut: Guide Rod adjustable: Adjustable on one side Length: 1702 mm Cone Size: 30 mm M24*1.5 M30*1.5 Pipe Ø: 50 mm weight:14kgs
	DRAG LINK	81466116006 81466116007	MAN E. F	Length: 1070 mm Inner Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 48 mm Weight: 8.210 kg
	REPAIR KIT FOR LINK	81432706079	MAN TGA	Thickness: 24 mm Inner Diameter: 23 mm Outer Diameter: 95 mm Rod/Strut: Guide Rod Weight: 3.430 kg
	REPAIR KIT FOR LINK	81432206244	Scania. Volvo. MAN	Length: 148.8 mm Outer Diameter: 75 mm Hole Pitch 1/ Hole Pitch 2: 115 Bore Ø 1 / Bore Ø 2: 17 mm Thickness: 24 mm Weight: 1.77 kg
	REPAIR KIT FOR LINK	81962100448	MAN: Lion. ÜL	Width: 75 mm Outer Diameter: 94 mm Inner Thread: M24 x 2 mm Weight: 1.75 kg

DRAG LINK-MAN

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	81432306051 81432306068 0003300707	Scania: 4 MAN: F. M Mercedes: O	Thickness: 24 mm Inner Diameter: 17 mm Outer Diameter: 75 mm Fitting Position: Rear Axle left and right Fitting Position: Outer Weight: 1.810 kg
	REPAIR KIT FOR LINK	81432206107 81432206006	for all trucks and buses	Thickness: 30 mm Outer Diameter: 85 mm Mounting points diameter: 19 mm Fitting Position: Rear Axle left and right Fitting Position: Front Axle Weight: 2.565 kg
	REPAIR KIT FOR LINK	81953020077	MAN:S2000	Length: 130 mm Outer Diameter: 85 mm Thickness: 24 mm Inner Diameter: 20 mm Fitting Position: Front Axle Weight: 2.446 kg
	REPAIR KIT FOR LINK	81432706105 0003502805	MAN: F. TGA. TGM. TGS. TGX	Length: 172 mm Width: 58 mm Width: 76 mm Thickness: 24.3 mm Inner Diameter: 25 mm Outer Diameter: 85 mm Outer Diameter: 63 mm
	REPAIR KIT FOR LINK	81432206203 273373 42535204 691709	DAF. Volvo. MAN	Thickness: 30 mm Inner Diameter: 21 mm Outer Diameter: 85 mm Fitting Position: Rear Axle Weight: 2.643 kg
	REPAIR KIT FOR LINK	81432706110	MAN	Width: 193.2 mm Outer Diameter: 99.8 mm Mounting points diameter: 25 mm Weight: 3.82 kg
	REPAIR KIT FOR LINK	81432306061 0003300207 93192361	MAN IVECO EVOBUS DAF	Length: 130 mm Thickness: 24 mm Inner Diameter: 19 mm Outer Diameter: 75 mm Fitting Position: Rear Axle Fitting Position: Outer Weight: 1.894 kg

DRAG LINK-MAN

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	85432206002	MAN. Neoplan	Length: 160 mm Thickness: 24 mm Inner Diameter: 19 mm Outer Diameter: 74.8 mm Weight: 1.890 kg
	REPAIR KIT FOR LINK	81432706119 81432206241 20547286 1515981	Scania. MAN. Volvo. Renault Trucks	Length: 150 mm Thickness: 24 mm Outer Diameter: 75 mm Mounting points diameter: 19 mm Weight: 1.750 kg
	REPAIR KIT FOR LINK	81432206285	MAN. TGA. TGS.TGX	Length: 130 mm Thickness: 24 mm Outer Diameter: 85mm Mounting points diameter: 25 mm Weight: 2. kg
	REPAIR KIT FOR LINK	81432206107 81432206006 81432206055 81432206073	Scania. Neoplan. MAN	Thickness: 30 mm Outer Diameter: 85 mm Mounting points diameter: 19 mm Fitting Position: Rear Axle left and right Fitting Position: Front Axle Weight: 2.565 kg
	REPAIR KIT FOR LINK	81432206315	MAN:TGM	Hole Pitch 1/ Hole Pitch 2: 130 Thickness: 24 mm Outer Diameter: 67 mm Mounting points diameter: 19 mm Weight: 1.5 kg
	REPAIR KIT FOR LINK	85432206002 5000333284 0003302011	MAN: Hocl. Lion. M. TGA. TGM. TGS. TGX	Steering Type: for drag link Hole Pitch 1/ Hole Pitch 2: 130 Bore Ø 1 / Bore Ø 2: 19/19 mm Outer Diameter: 75 mm
	REPAIR KIT FOR LINK	81953016133	MAN F2000	Length: 152 mm Thickness: 35 mm Inner Diameter: 23 mm Outer Diameter: 90 mm Outer Diameter: 80 mm Weight: 3.980 kg
	REPAIR KIT FOR LINK	81953016132	DAF. MAN. Volvo	Thickness: 61 mm Diameter: 80 mm Diameter: 90 mm Weight: 2.840 kg

DRAG LINK-MAN

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	81432706065	MAN:E2000. L2000. M2000L. M2000M. M90	Thickness: 46 mm Inner Diameter: 37 mm Inner Diameter: 41 mm Inner Thread: M 20 x 1.5 mm Fitting Position: Rear Axle left and right Weight: 1.200 kg
	REPAIR KIT FOR LINK	81432706080	DAF: 75. 85. 95. CF. F MAN: E. F. Lion. TGA	Thickness: 61 mm Diameter: 80 mm Diameter: 90 mm Weight: 2.840 kg
	REPAIR KIT FOR LINK	81432306043	MAN: F. M	Thickness: 30 mm Inner Diameter: 19 mm Outer Diameter: 65 mm Outer Diameter: 80 mm Weight: 2.330 kg
	REPAIR KIT FOR LINK	81432206108 81432206132 2980884 1271124	DAF: 95 Iveco MAN: F. Hocl. M	Length: 130 mm Thickness: 30 mm Inner Diameter: 19 mm Outer Diameter: 72 mm Outer Diameter: 65 mm Fitting Position: Rear Axle left and right Fitting Position: Outer Weight: 2.300 kg

DRAG LINK-SCANIA

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	1348269	Scania: 4. P.G.R.T	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 1062 mm Cone Size: 30 mm Pipe Ø: 52 mm
	DRAG LINK	1755498 1479122 1895858	Scania	Length: 1272 mm Inner Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 27 mm Cone Size: 30 mm Fitting Position: Front Axle Pipe Ø: 62 mm Weight: 14.31 kg
	DRAG LINK	1895857 1755496 1479120	Scania	Rod/Strut: Push Rod adjustable: Adjustable Length: 1272 mm Cone Size: 30 mm Pipe Ø: 62 mm weight: 14.5 kgs
	DRAG LINK	1895854 1755490 1428193	Scania : BUS L94 UA 6x2 2LB	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 1042 mm Cone Size: 32 mm Pipe Ø: 62 mm weight: 14.5 kgs
	DRAG LINK	1789082 1455327 1928859 0483527 1751418	Scania : BUS ARA 860	Length: 284 mm Thickness: 90 mm Outer Thread: M 20 x 1.5 mm Cone Size: 23 mm Rod/Strut: Guide Rod Fitting Position: Front Axle Weight: 2.81 kg
	DRAG LINK	1343283 1759691	Scania: 4. P.G.R.T	Length: 435 mm Width: 62 mm Thickness: 120 mm Inner Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Fitting Position: Rear Axle Pipe Ø: 38 mm Weight: 5.3 kg
	DRAG LINK	1343266 1759690	Scania: 4. P.G.R. T series	Length: 495 mm Outer Diameter: 40 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 5.72 kg

DRAG LINK-SCANIA				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	1394884	Scania: 4	Length: 420 mm Outer Diameter: 40 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 6.8 kg
	DRAG LINK	1928859 1455327 1789082 1751418	Scania: Irizar BUS ARA 860 114 124	Length: 284 mm Thickness: 90 mm Outer Diameter: 62 mm Outer Thread: M 20 x 1.5 mm Cone Size: 23 mm Rod/Strut: Guide Rod Fitting Position: Front Axle Weight: 2.81 kg
	DRAG LINK	0463245 1766014 463245	Scania:BUS AMA UA/UB AMA 780UA 114 124	Length: 100.6 mm Width: 26 mm Thickness: 85 mm Outer Thread: M 20 x 1.5 mm Thread Length: 23.95 mm Cone Size: 26 mm Pipe Ø: 26 mm Weight: 1.5kg
	DRAG LINK	1766015 445626	Scania:BUS AMA UA/UB AMA 780UA 114 124	Rod/Strut: Coupling Rod Length: 130 mm Cone Size: 26 mm Pipe Ø: 31 mm weight:2.7kgs
	DRAG LINK	416159	Scania:BUS 113 AMA	Length: 210 mm Outer Thread: M 16 x 1.5 mm Rod/Strut: Coupling Rod Fitting Position: Front Axle Weight: 1.572 kg
	DRAG LINK	486590	Scania:BUS ADA 1350 D UA/UB 114 124	Rod/Strut: Coupling Rod Length: 160 mm Cone Size: 26 mm Pipe Ø: 26 mm weight:1.9kgs
	DRAG LINK	488056	Scania: BUS ADA 1350 D UA/UB 114 124	Rod/Strut: Coupling Rod Length: 160 mm Cone Size: 26 mm Pipe Ø: 26 mm weight:1.9kgs

DRAG LINK-SCANIA				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	1343264 1732635	P114 P124 R124	Length: 1924 mm Outer Thread: M 24 x 1.5 mm Thread Length: 25 mm Cone Size: 30 mm Diameter: 60 mm Diameter: 42 mm Weight: 17.5 kg
	DRAG LINK	1324483 1305012 1316872	Scania: 3 BUS ADA 1350 D UA/UB 114 124	Length: 800 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 52 mm Weight: 9.005 kg
	DRAG LINK	0352635 0278663 278663 352635	Scania: 3	Length: 947 mm Outer Diameter: 48 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 48 mm Weight: 9.005 kg
	DRAG LINK	1304571 0381339 381339	Scania: Serie 3	Length: 915 mm Outer Diameter: 40 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Pipe Ø: 40 mm Weight: 9.66 kg
	DRAG LINK	389867	Scania: Serie 3	Length: 784 mm Outer Diameter: 42 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 42 mm Weight: 7.750 kg
	DRAG LINK	1394884	Scania: 4	Length: 420 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 6.8 kg
	DRAG LINK	1895861 1755504 1433533	Scania: Serie 4 bus Scania: Irizar	Rod/Strut: Guide Rod adjustable: Adjustable on one side Length: 635 mm Cone Size: 30 mm Pipe Ø: 48 mm

DRAG LINK-SCANIA

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	1433532 1895862 1755506	Scania: Serie 4 bus Scania: Irizar	Rod/Strut: Guide Rod adjustable: Adjustable on one side Length: 635 mm Cone Size: 30 mm Pipe Ø: 48 mm
	DRAG LINK	1343262	Scania: Serie 4	Length: 603 mm Outer Thread: M 20 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 42 mm Weight: 5.7 kg
	DRAG LINK	1895859 1432723 1755500	Scania: K114 K124 EB 114 124 BUS	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 882 mm Cone Size: 30 mm Pipe Ø: 48 mm
	DRAG LINK	2755601 1755507 486760 488834	BUS	Rod/Strut: Guide Rod adjustable: not adjustable Length: 538 mm pipe: 52mm Cone Size: 30 mm Cone Size: 27mm Pipe Ø: 52 mm
	DRAG LINK	488738	Scania: Irizar	Rod/Strut: Coupling Rod adjustable: not adjustable Length: 293 mm Cone Size: 30 mm Hole Pitch 1/ Hole Pitch 2: 90 Bore Ø 1 / Bore Ø 2: 15/15 mm Pipe Ø: 36 mm
	DRAG LINK	1506925	Scania: BUS	Rod/Strut: Coupling Rod adjustable: not adjustable Length: 150 mm Cone Size: 26 mm Hole Pitch 1/ Hole Pitch 2: 90 Bore Ø 1 / Bore Ø 2: 15/15 mm Pipe Ø: 30 mm
	DRAG LINK	1506924	Scania: BUS	Rod/Strut: Coupling Rod adjustable: not adjustable Length: 150 mm Cone Size: 26 mm Hole Pitch 1/ Hole Pitch 2: 90 Bore Ø 1 / Bore Ø 2: 15/15 mm Pipe Ø: 30 mm
	DRAG LINK	4878739 2923401	Scania: BUS	Rod/Strut: Coupling Rod adjustable: not adjustable Length: 150 mm Cone Size: 26 mm Hole Pitch 1/ Hole Pitch 2: 90 Bore Ø 1 / Bore Ø 2: 20/20 mm Pipe Ø: 30 mm

DRAG LINK-SCANIA

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	1912758 1384027 1769597 1847312	Scania: 4. P.G.R.T	Length: 1059 mm Outer Diameter: 52 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 52 mm Weight: 11.4 kg
	DRAG LINK	1768898 1379071 1356055 1384025	Scania: 4. P.G.R.T	Length: 1054 mm Outer Diameter: 52 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 52 mm Weight: 11.4 kg
	DRAG LINK	278665	Scania: Serie 2. Serie 3	Length: 947 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Spanner Size: 36 Cone Size: 30 mm Pipe Ø: 48 mm Weight: 9.015 kg
	DRAG LINK	1897673 0475463 475463	Scania: BUS K94 EB 114 124	Length: 870 mm Outer Diameter: 40 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 7.935 kg
	DRAG LINK	1497223 1897665 478621	BUS L94 UA 2LB	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 1044 mm Cone Size: 30 mm Cone Size: 27 mm Pipe Ø: 60 mm weight: 14.5kgs
	DRAG LINK	1369917 0306913 0382774 0300308	Scania 3	Length: 578 mm Outer Diameter: 40 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 5.86 kg
	DRAG LINK	291 396 182 790 182 672 291 395	Scania: Serie 2	Length: 728 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 7kg

DRAG LINK-SCANIA				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	291398 291397 259411	Scania	Length: 761 mm Outer Diameter: 40 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 7.5 kg
	DRAG LINK	345124	Scania: Serie 3	Length: 927 mm Outer Diameter: 50 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Coupling Rod Pipe Ø: 50 mm Weight: 13 kg
	DRAG LINK	370875	Scania: Serie 3	Length: 910 mm Outer Diameter: 50 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 50 mm Weight: 9.8 kg
	DRAG LINK	1409918 1385251 1369411 1379168 1723865	Scania: Serie 4	Length: 1743 mm Outer Diameter: 50 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Fitting Position: Front Axle Pipe Ø: 50 mm Weight: 16 kg
	DRAG LINK	1 95614 1354568	Scania: Serie 4	Length: 1743 mm Outer Diameter: 62 mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Fitting Position: Front Axle Pipe Ø: 62 mm Weight: 20.5 kg
	DRAG LINK	2028998 1378435 395350 1397866 1734020 1358675	Scania: 4	Length: 1736 mm Outer Diameter: 40 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Fitting Position: Front Axle Pipe Ø: 40 mm Weight: 11.85 kg
	DRAG LINK	310977 310981	Scania	Fitting Position: Front Axle Fitting Position: Centre Front Axle No.: AMA56 Front Axle No.: AMA61 Length: 1752 mm Cone Size: 30 mm Pipe Ø: 60 mm

DRAG LINK-SCANIA				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	395347 395346	Scania: 3 series	Length: 1595 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Fitting Position: Front Axle Pipe Ø: 40mm Weight: 11.85 k
	DRAG LINK	434493	Scania:bus serie 3	Length: 672 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Fitting Position: Front Axle Pipe Ø: 40mm Weight: 5 kg
	DRAG LINK	1363964 1363984 395348	Scania:3 series bus serie3	Length: 1677 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Fitting Position: Front Axle Pipe Ø: 42mm Weight:11 kg
	DRAG LINK	421573	Scania:bus serie 3	Length: 1123 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Fitting Position: Front Axle Pipe Ø: 40mm Weight: 10kg
	DRAG LINK	319359	bus serie3 bus serie4	Length: 1773 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Fitting Position: Front Axle Pipe Ø: 62 mm Weight: 16 kg
	DRAG LINK	1869413	Scania:4 series P-G- R-T SERIES	Length: 601 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size:26mm Fitting Position: Front Axle Pipe Ø: 42mm Weight: 5 kg
	DRAG LINK	1897673 475463	Scania: bus 4 series bus irizar	Length: 870 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size:30 mm Fitting Position: Front Axle Pipe Ø: 48 mm Weight: 7.5kg

DRAG LINK-SCANIA

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	1869860 1450364 1755502	Scania:bus 4 series bus irizar	Length: 870 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size:30 mm Fitting Position: Front Axle Pipe Ø: 489 mm Weight: 7.5kg
	REPAIR KIT FOR LINK	1498131	Scania:4 series P-G- R-T series	hole distance:115mm Width: 47 mm Inner Diameter: 19 mm Outer Diameter: 67 mm Fitting Position: Rear Axle left and right thickness:24 Weight: 1.360 kg
	REPAIR KIT FOR LINK	1104334 550806 639370	Serie 4 series 3 bus series 3 bus series 4	hole distance:115mm Width: 47 mm Inner Diameter: 17mm Outer Diameter: 75 mm Fitting Position: Rear Axle left and right thickness:24mm Weight: 1.5 kg
	REPAIR KIT FOR LINK	550808 5508080	Serie 4 series 3 P-G- R-T SERIES	hole distance:115mm Inner Diameter: 17mm Outer Diameter: 67 mm Fitting Position: Rear Axle left and right thickness:24mm Weight: 1.5 kg
	REPAIR KIT FOR LINK	1517403 550799	Scania:Serie 4	hole distance:115mm Outer Diameter: 75 mm Mounting points diameter: 17 mm Hole Pitch 1/ Hole Pitch 2: 115 Bore Ø 1 / Bore Ø 2: 17 mm thickness:24mm Weight: 1.77 kg
	REPAIR KIT FOR LINK	550808	Scania::Serie 3. Serie 4. Serie P/R/T	Length: 144 mm Thickness: 24 mm Outer Diameter: 67 mm Mounting points diameter: 17 mm Hole Pitch 1/ Hole Pitch 2: 115 Weight: 1.370 kg
	REPAIR KIT FOR LINK	1104336	DAF SCANIA VOLVO	hole distance:152mm Outer Diameter: 95 mm Mounting points diameter: 23 mm Thickness: 24 mm Weight: 1.370 kg
	REPAIR KIT FOR LINK	1515981	MAN RENAULT SCANIA	hole distance:115mm Thickness: 24 mm Outer Diameter: 75mm Mounting points diameter: 19mm Weight: 1.370 kg

DRAG LINK-SCANIA

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	550800	Scania:4 series P-G-R-T series	hole distance:115mm Outer Diameter: 67mm Mounting points diameter: 17mm Thickness: 24 mm Weight: 1.370 kg
	REPAIR KIT FOR LINK	1722753	Scania:4 series P-G-R-T series	hole distance:115mm Thickness: 24 mm Outer Diameter: 67mm Mounting points diameter: 19 mm Weight: 2 kg
	REPAIR KIT FOR LINK	1498131	Scania:4 series P-G-R-T series	hole distance:115mm Thickness: 24 mm Outer Diameter: 67 mm Mounting points diameter: 17 mm Width: 47 mm Weight: 1.370 kg
	REPAIR KIT FOR LINK	1104335 638 862 1953248	Scania MAN	hole distance:130mm Outer Diameter: 85 mm Mounting points diameter: 19 mm Thickness: 30mm Weight: 2.6 kg
	REPAIR KIT FOR LINK	550812 639319	Scania:bus series 3 bus serie 4	hole distance:100 mm Thickness: 24 mm Outer Diameter: 67 mm Mounting points diameter: 17 mm Thickness: 24 mm Weight: 1.5 kg
	REPAIR KIT FOR LINK	1958009	Scania:bus serie 3 k113	hole distance:100mm Thickness: 24 mm Outer Diameter: 67 mm Mounting points diameter: 17 mm Thickness: 24 mm Weight: 1.370 kg
	REPAIR KIT FOR LINK	1953249	Scania: bus serie 2 bus serie 3 bus serie 4	hole distance:115mm Outer Diameter: 75 mm Mounting points diameter: 17 mm Thickness: 24 mm Weight: 1.5 kg

DRAG LINK-SCANIA				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	1783020	Scania: serie 3 serie 4 bus serie4	hole distance:115mm Outer Diameter: 75 mm Mounting points diameter: 17 mm Thickness: 24 mm Weight: 1.5 kg

DRAG LINK-IVECO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	98469560 98449025	Iveco: EURO CARGO 170E	Length: 878 mm Outer Diameter: 42 mm Cone Size: 30 mm Rod/Strut: Push Rod M24*1.5 M30*1.5 Pipe Ø: 36 mm Weight: 5.730 kg
	DRAG LINK	04793166 4834041		Length: 1001 mm Cone Size: 30 mm Pipe Ø: 48 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm weight:9.2
	DRAG LINK	41005463 8131582 8132397	Iveco: Eurostar. Eurotech. Eurotrakker. Stralis	Length: 953 mm Outer Diameter: 52 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 52 mm Weight: 10.kg
	DRAG LINK	41005475 41006093	Iveco: EURO TRAKKER MP 190 410	Length: 952 mm Thickness: 116 mm Outer Diameter: 52 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Weight: 9.650 kg
	DRAG LINK	52102058 2476066	Iveco: PA160 PA190	Length: 1630mm Outer Diameter: 32 mm Outer Thread: M 28x 1.5 mm Cone Size: 22 mm Weight: 8 kg
	DRAG LINK	4854871	Iveco: EURO CARGO PA160 PA190	Length: 1584 mm Outer Diameter: 40 mm Inner Thread: M 30 x 1.5 Outer Thread: M 20 x 1.5 mm Cone Size: 26 mm Pipe Ø: 40 mm Weight: 7.450 kg
	DRAG LINK	41005451 41005450 8163773	Iveco: Eurostar. Eurotech. Eurotrakker. Stralis	Rod/Strut: Guide Rod adjustable: Adjustable on both sides Length: 1641 mm M24*1.5 M30*1.5 Cone Size: 30 mm Pipe Ø: 48 mm
	DRAG LINK	098470968 98470968 04844041 4844041 004844041	Iveco: Eurocargo	Length: 1680 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 42 mm Weight: 12.3 kg

DRAG LINK-IVECO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	98402553 500307556	Iveco: Eurocargo	Length: 1490 mm Outer Diameter: 38 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 20 x 1.5 mm Cone Size: 26 mm Fitting Position: Front Axle Pipe Ø: 38 mm Weight: 9.660 kg
	DRAG LINK	42001326 42001325 42066458	Iveco: P/PA	Length: 890 mm Outer Diameter: 50 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Pipe Ø: 50 mm Weight: 8.290 kg
	DRAG LINK	504049893	Iveco: EURO CARGO 180E E28	Length: 863 mm Thickness: 42 mm Outer Diameter: 42 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Pipe Ø: 42 mm Weight: 8.265 kg
	DRAG LINK	4854874 04854874	Iveco: EURO CARGO 180E E28	Length: 897 mm Outer Diameter: 42 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 20 x 1.5 mm Cone Size: 26 mm Pipe Ø: 42 mm Weight: 6.200 kg
	DRAG LINK	41298449 41028269	Iveco: EURO CARGO 180E E28	Length: 887 mm Outer Diameter: 52 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Weight: 8.035 kg
	DRAG LINK	98489741	Iveco: EURO CARGO 180E E28	Length: 1627 mm Width: 52 mm Outer Diameter: 52 mm Inner Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Cone Size: 30 mm Pipe Ø: 52 mm Weight: 15 kg
	DRAG LINK	42026853 2476050	IVECO: MK	Length: 1603mm Outer Diameter: 36 mm Cone Size: 26 mm Pipe Ø: 548mm Weight: 10kg
	DRAG LINK	41036943 8163773 41005450 41005451 42003432 7142641	IVECO Eurostar Eurotech. Eurotrakker. Stralis	Length: 1675 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Pipe Ø: 40 mm Weight: 11.6 kg

DRAG LINK-IVECO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	8591222 8559559	Iveco: Zeta	Fitting Position: Front Axle Fitting Position: Driver side Length: 830 mm Rod/Strut: Push Rod Cone Size: 22 mm Pipe Ø: 30 mm
	DRAG LINK	8564248 8591219	Iveco: Zeta	Fitting Position: Front Axle Fitting Position: Driver side Length: 766 mm Cone Size: 22 mm Pipe Ø: 30 mm Rod/Strut: Push Rod
	DRAG LINK	98467459 98402544	Iveco: Eurocargo	Length: 822 mm Outer Diameter: 40 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Pipe Ø: 40 mm Weight: 6.200 kg
	DRAG LINK	500324282	Iveco: Eurocargo	Length: 738 mm Weight: 6.075 kg Cone Size: 26 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Outer Diameter: 40 mm Rod/Strut: Push Rod
	DRAG LINK	41005460	Iveco: Eurocargo	Length: 1577 mm Pipe Ø: 48 mm Cone Size: 30 mm Weight: 20kgs
	DRAG LINK	98469650 098469650 098449025 98449025	Iveco: Eurocargo Eurofire	Length: 878 mm Weight: 5.730 kg Pipe Ø: 36 mm Cone Size: 30 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M24 x 1.5 mm Weight: 5.5 kg
	DRAG LINK	41036943 8163773 41005450 41005451 42003432 7142641	Iveco: Eurostar. Eurotech. Eurotrakker. Stralis	Length: 1675 mm Pipe Ø: 48 mm Cone Size: 30 mm Inner Thread: M30 x 1.5 LHT mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M24 x 1.5 mm Weight: 11.6 kg
	DRAG LINK	500397738	Iveco Eurostar. Eurotrakker. Stralis	Length: 959 mm Cone Size: 30 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M24 x 1.5 mm Outer Diameter: 52 mm Weight: 9.9 kg

DRAG LINK-IVECO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	98446354	Iveco: EUROTECH MT	Length: 901 mm Cone Size: 30 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M24 x 1.5 mm Outer Diameter: 52 mm Weight: 9.5 kg
	REPAIR KIT FOR LINK	1252284 93161960 274070	DAF Iveco Volvo Iveco: Eurocargo	Thickness: 24 mm Outer Diameter: 75 mm Hole Pitch 1/ Hole Pitch 2: 130 Bore Ø 1 / Bore Ø 2: 21/21 mm Fitting Position: Rear Axle Weight: 1.854 kg
	REPAIR KIT FOR LINK	42493431 93192619	Iveco: Eurotrakker MAN: SÜ Mercedes: NG. SK	Thickness: 24 mm Inner Diameter: 21 mm Outer Diameter: 95 mm Hole Pitch 1/ Hole Pitch 2: 152 Bore Ø 1 / Bore Ø 2: 21 mm Fitting Position: Rear Axle left and right Weight: 3.529 kg
	REPAIR KIT FOR LINK	42535240	Iveco: EUROCARGO EUROTECH MH/MP MT LD	Length: 130 mm Thickness: 30 mm Inner Diameter: 21 mm Outer Diameter: 85 mm Fitting Position: Rear Axle left and right Weight: 2.643 kg
	REPAIR KIT FOR LINK	93192618 93161720	Iveco: Eurotech. Eurotrakker. Stralis	Thickness: 24 mm Outer Diameter: 85 mm Hole Pitch 1/ Hole Pitch 2: 152 Bore Ø 1 / Bore Ø 2: 21/21 mm Fitting Position: Rear Axle left and right Fitting Position: Outer Weight: 2.762 kg
	REPAIR KIT FOR LINK	500333284 42535046	Iveco. Bredamenarinibus Dennis Van hool ZF Mercedes MAN Magirus-deutz	Thickness: 24 mm Outer Diameter: 75 mm Hole Pitch 1/ Hole Pitch 2: 130 Bore Ø 1 / Bore Ø 2: 19/19 mm Fitting Position: Rear Axle left and right Fitting Position: Outer Weight: 2.762 kg
	REPAIR KIT FOR LINK	93163617 093163917 0003300511	Iveco: EUROCARGO EUROFIRE TRAKKER STRALIS	Length: 164 mm Thickness: 24 mm Inner Diameter: 19 mm Outer Diameter: 67 mm Fitting Position: Rear Axle left and right Weight: 1.470 kg
	REPAIR KIT FOR LINK	93192361	IVECO MAN MERCEDES BENZ. DAF EVOBUS	Thickness: 24 mm Outer Diameter: 75 mm Hole Pitch 1/ Hole Pitch 2: 130 Bore Ø 1 / Bore Ø 2: 19/19 mm Fitting Position: Rear Axle left and right Weight: 1.894 kg

DRAG LINK-IVECO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	93192361	IVECO MAN MERCEDES BENZ. DAF EVOBUS	Thickness: 24 mm Outer Diameter: 75 mm Hole Pitch 1/ Hole Pitch 2: 130 Bore Ø 1 / Bore Ø 2: 19/19 mm Fitting Position: Rear Axle left and right Weight: 1.894 kg
	REPAIR KIT FOR LINK	42535446	MAN IVECO MERCEDES BENZ JAC LANDPOWER IRISBUS	Thickness: 30 mm Hole Pitch 1/ Hole Pitch 2: 130 Bore Ø 1 / Bore Ø 2: 19/19 mm Outer Diameter: 85 mm Bearing Type: Molecular Bearing
	REPAIR KIT FOR LINK	2535445 81953020057 5000814841	IVECO MAN RENAULT VAN HOOL	Length: 130 mm Outer Diameter: 67 mm Mounting points diameter: 15 mm Steering Type: Trailing Arm Fitting Position: Front Axle Weight: 1.138 kg
	REPAIR KIT FOR LINK	42536819	IVECO MERCEDES BENZ SCANIA EVOBUS	Length: 130 mm Thickness: 30 mm Outer Diameter: 85 mm Mounting points diameter: 19 mm Steering Type: Trailing Arm Fitting Position: Front Axle Weight: 1.138 kg
	REPAIR KIT FOR LINK	42488722	IVECO DAF BENZ SCANIA NEOPLAN MAN RENAULT EVOBUS	Thickness: 30 mm Outer Diameter: 85 mm Mounting points diameter: 19 mm Hole Pitch 1/ Hole Pitch 2: 130 Bore Ø 1 / Bore Ø 2: 19/19 mm Weight: 2.565 kg
	REPAIR KIT FOR LINK	42530929	IVECO: CITY BUS	Thickness: 30 mm Length: 145 mm Outer Diameter: 85 mm Mounting points diameter: 21 mm Fitting Position: Front Axle Weight: 2.802 kg
	REPAIR KIT FOR LINK	2968454 02968454		Thickness: 46 mm Outer Diameter: 65 mm Outer Diameter: 70 mm Fitting Position: Rear Axle left and right Weight: 1.400 kg
	REPAIR KIT FOR LINK	2980884	DAF MAN IVECO	Length: 166 mm Thickness: 30 mm Outer Diameter: 72 mm Outer Diameter: 65 mm Mounting points diameter: 19 mm Weight: 2.300 kg


DRAG LINK-DAF

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	1451118	DAF: 85. CF. XF	Rod/Strut: Push Rod adjustable: Adjustable on both sides Length: 860 mm M24*1.5 M30*1.5 Cone Size: 30 mm Pipe Ø: 38 mm
	DRAG LINK	1395993	DAF: XF 105 95	Rod/Strut: Push Rod adjustable: Adjustable on one side Length: 996 mm Cone Size: 30 mm M24*1.5 M30*1.5 Pipe Ø: 38 mm
	DRAG LINK	0094038 0554765 554765	DAF: F95	Length: 995 mm Outer Diameter: 50 mm Outer Thread: M 30 x 1.5 mm Outer Thread: M 24 x 1.5 mm Pipe Ø: 50 mm Weight: 9.540 kg
	DRAG LINK	1385499	DAF: 75. 95. XF	Length: 1005 mm Outer Diameter: 52 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Pipe Ø: 52 mm Weight: 9.600 kg
	DRAG LINK	1385497 1283211 1351714	DAF: 65. 75. 85	Length: 876 mm Outer Diameter: 52 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Pipe Ø: 52 mm Weight: 9.500 kg
	DRAG LINK	1353391 1270853	DAF: XF 85 95 CF85 LF55	Length: 1690 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Quality/ Grade: 10.9 Cone Size: 26 mm Fitting Position: Front Axle Pipe Ø: 40 mm Weight: 10.5 kg
	DRAG LINK	1286344		Length: 1734 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Thread Type: with right-hand thread Cone Size: 26 mm Fitting Position: Front Axle Pipe Ø: 52 mm Weight: 16.000 kg

DRAG LINK-DAF				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	1286343 754922	DAF: 75. 85. 95 CF. F	Length: 1698 mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Thread Type: with right-hand thread Cone Size: 26 mm Pipe Ø: 52 mm Weight: 16.000 kg
	DRAG LINK	1361155 1297572	DAF: 85. 95. CF	Length: 1512 mm Outer Diameter: 52 mm Inner Thread: M35 x 1.5 LHT mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Fitting Position: Front Axle Pipe Ø: 52 mm Weight: 14.670 kg
	DRAG LINK	1405655 1406025 1407144 1700912 1401940	DAF: LF	Length: 900 mm Inner Thread: M30 x 1.5 LHT mm Outer Thread: M18 x 1.5 mm Cone Size: 22 mm Rod/Strut: Push Rod Pipe Ø: 38 mm Weight: 6.46 kg
	DRAG LINK	1451129 1380417	DAF: 85. 95. CF	Length: 860 mm Thickness: 115 mm Inner Thread: M30 x 1.5 mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 36 mm Weight: 5.45 kg
	DRAG LINK	1311048 1385498 1351737	DAF: 95	Length: 998 mm Inner Thread: M30 x 1.5 mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Fitting Position: Front Axle Pipe Ø: 36 mm Weight: 5.1 kg
	DRAG LINK	1385500 1351735 1291048	DAF: 95	Length: 1008 mm Pipe Ø: 62 mm Inner Thread: M30 x 1.5 mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Fitting Position: Front Axle Weight: 11 kg
	DRAG LINK	1143324 1191900		Length: 1147 mm Cone Size: 26 mm Cone Size: 30 mm Pipe Ø: 40 mm

DRAG LINK-DAF				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	1395994	DAF: CF	Length: 988 mm Width: 50 mm Inner Thread: M30 x 1.5 mm Outer Thread: M24 x 1.5 mm Thread Type: with right-hand thread Cone Size: 30 mm Weight: 8.97 kg
	DRAG LINK	0288281 1337644 288281 1270854	DAF: 65CF.75CF 85CF.95XF LF45.LF55	Length: 1734 mm Inner Thread: M30 x 1.5 LHT mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Fitting Position: Front Axle Pipe Ø: 40 mm Weight: 11 kgs
	DRAG LINK	1451119 1440171 1380421	DAF: CF	Length: 590 mm Inner Thread: M30 x 1.5 LHT mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Pipe Ø: 38 mm Weight: 5.940 kg
	DRAG LINK	1351205 1353395	DAF: 75. 85. 95 CF. XF	Length: 1646 mm Inner Thread: M30 x 1.5 LHT mm Inner Thread: M30 x 1.5 RHT mm Outer Thread: M20 x 1.5 mm Cone Size: 26 mm Pipe Ø: 40 mm Weight: 10.6 kg
	REPAIR KIT FOR LINK	1252284 93161960 8226296069 274070	DAF IVECO VOLVO KASSBOHRER	Thickness: 24 mm Inner Diameter: 21 mm Outer Diameter: 75 mm Fitting Position: Rear Axle Weight: 1.854 kg
	REPAIR KIT FOR LINK	0067354		Length: 130mm Thickness: 24mm Inner Diameter: 19 mm Outer Diameter: 975mm Weight: 1.90kg
	REPAIR KIT FOR LINK	0696321 1104336 274056	DAF Scania Volvo DAF: 65. 75. 85. 95. CF. F. N. SB	Length: 152 mm Thickness: 35 mm Inner Diameter: 23 mm Outer Diameter: 95 mm Steering Link Form: Four-point steering Fitting Position: Rear Axle left and right Fitting Position: Outer Weight: 3.790 kg

DRAG LINK-DAF

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	689747 0003501013 638861	DAF MERCEDES BENZ SCANIA	Length: 171 mm Outer Diameter: 85 mm
	REPAIR KIT FOR LINK	0698724 698724	DAF	Outer Diameter: 85 mm Mounting points diameter: 23 mm Material: Steel Elastomer Steering Type: Wishbone (CV) Fitting Position: Rear Axle left and right Weight: 2.7 kg
	REPAIR KIT FOR LINK	0513757 0691709 81 432206203	DAF: 65. 75 85. 95. F MAN: Lion. ÜL Volvo: F. FH. FL	Thickness: 30 mm Inner Diameter: 21 mm Outer Diameter: 85 mm Fitting Position: Rear Axle left and right Weight: 2.643 kg
	REPAIR KIT FOR LINK	1321936 93163617 00033005 11	DAF: 75. 85 Iveco: Eurotech	Length: 130 mm Thickness: 24 mm Inner Diameter: 19 mm Outer Diameter: 67 mm Fitting Position: Rear Axle left and right Weight: 1.470 kg
	REPAIR KIT FOR LINK	0696 320 273 70681 43270.6080	DAF:CF VOLVO MAN	Thickness: 61 mm Diameter: 80 mm Diameter: 90 mm Fitting Position: Rear Axle Upper Weight: 2.840 kg
	REPAIR KIT FOR LINK	0069600 691704	DAF: 85. 95. F Iveco: 296 8454 Volvo: 271188	Steering Type: for wishbone (CV) Thickness: 46 mm Outer Diameter 1: 65 mm Outer Diameter 2: 70 mm Weight: 1.400 kg
	REPAIR KIT FOR LINK	693778 0693778 0005861433	DAF: 95 95X MERCEDES BENZ	Thickness: 24 mm Inner Diameter: 21 mm Outer Diameter: 65 mm Outer Diameter: 80 mm Fitting Position: Rear Axle left and right Weight: 2.590 kg

DRAG LINK-DAF				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	REPAIR KIT FOR LINK	1271124 81432206132 2980884	DAF: CF75 CF85 MAN IVECO.	Length: 130mm Thickness: 30 mm Inner Diameter: 19 mm Outer Diameter: 72 mm Outer Diameter: 65 mm Weight: 2.300 kg
	REPAIR KIT FOR LINK	1376730 93161958 3093469	DAF: CF75 CF85 VOLVO IVECO.	Thickness: 46 mm Outer Diameter: 65 mm Outer Diameter: 72 mm Fitting Position: Centre Fitting Position: Rear Axle left and right Weight: 1.860 kg

DRAG LINK-ISUZU

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	1443801510	ISUZU	Length: 995mm Pipe Ø: 46mm Cone Size: 30mm Weight: 8.7kg
	DRAG LINK	1443800510	ISUZU	Length: 931mm Pipe Ø: 48mm Outer Thread: M24x 1.5 mm Cone Size: 32mm Weight: 8.12 kg
	DRAG LINK	1443802780	ISUZU	Length: 830 mm Pipe Ø: 42 mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Weight: 7.1 kg
	DRAG LINK	1443802790	ISUZU	Length: 920 mm Pipe Ø: 52mm Outer Thread: M24x 1.5 mm Cone Size: 30mm Weight: 9.5 kg
	DRAG LINK		ISUZU	Length: 930mm Pipe Ø: 52mm Outer Thread: M24x 1.5 mm Cone Size: 32mm Weight: 10.5kg
	DRAG LINK		ISUZU	Length: 755 mm Pipe Ø: 48 mm Outer Thread: M24x 1.5 mm Cone Size: 32mm Weight: 7.5 kg

DRAG LINK-NISSAN

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TIE ROD END	48500Z2061	NISSAN	Length: 980 mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Pipe Ø:46mm Weight: 8.5 kg
	TIE ROD END	4851000Z68	NISSAN	Length: 815 mm Outer Thread: M24x 1.5 mm Cone Size: 30 mm Pipe Ø:46mm Weight: 7kg
	TIE ROD END	4851000Z66	NISSAN	Length: 935 mm Outer Thread: M24x 1.5 mm Cone Size: 30 mm Pipe Ø:50mm Weight: 9kg
	TIE ROD END	4851030Z04 4851031Z14	NISSAN	Length: 812mm Outer Thread: M24x 1.5 mm Cone Size: 30 mm Pipe Ø:40mm Weight: 8.2kg
	TIE ROD END	4851002Z11	NISSAN	Length: 945mm Outer Thread: M24x 1.5 mm Cone Size: 30 mm Pipe Ø:50mm Weight: 9.5kg
	TIE ROD END	486800T825	NISSAN	Length: 665mm Outer Thread: M14x 1.5 mm Cone Size: 20.7 mm Pipe Ø:30mm Weight: 9.5kg
	TIE ROD END	4851000Z70	NISSAN	Length: 980mm Outer Thread: M24x 1.5 mm Cone Size:30 mm Pipe Ø:50mm Weight: 9.5kg

DRAG LINK-NISSAN

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TIE ROD END	4851000Z78	NISSAN	Length: 775mm Outer Thread: M24x 1.5 mm Cone Size:30 mm Pipe Ø:42mm Weight:8kg
	TIE ROD END	4851000Z33	NISSAN	Length: 795mm Outer Thread: M24x 1.5 mm Cone Size:30 mm Pipe Ø:42mm Weight:7.5kg

DRAG LINK-RENAULT				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	5010060764 5010557243	Renault Trucks: Magnum	Length: 720 mm Outer Diameter: 36 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Guide Rod Pipe Ø: 36 mm Weight: 7 kg
	DRAG LINK	5010294288	Renault Trucks: Magnum	Length: 825 mm Outer Thread: M230x 1.5 mm Outer Thread: M24 x 1.5 mm Cone Size: 30 mm Rod/Strut: Guide Rod Pipe Ø: 52 mm Weight: 9.34 kg
	DRAG LINK	5010294287	Renault Trucks: Magnum	Length: 809 mm Outer Diameter: 50 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 50 mm Weight: 8.355 kg
	DRAG LINK	5010130344	Renault: Magnum AE. Magnum E. TECH	Length: 737 mm Outer Diameter: 52 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Guide Rod Weight: 8.45 kg
	DRAG LINK	5010294289 5010630617	Renault Trucks: Premium	Length: 861 mm Outer Diameter: 62 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Guide Rod Pipe Ø: 62 mm Weight: 11.34 kg
	DRAG LINK	5010130 393	Renault Trucks: Midliner	Length: 872 mm Outer Thread: M 20 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 26 mm Rod/Strut: Push Rod Pipe Ø: 40 mm Weight: 6.4 kg
	DRAG LINK	5010037418 5010037603 5010130446 5010130447	Renault Trucks: Midliner M. Midliner S	Length: 902 mm Outer Thread: M 18 x 1.5 mm Outer Thread: M 28 x 1.5 mm Cone Size: 22 mm Rod/Strut: Guide Rod Pipe Ø: 40 mm Weight: 6.36 kg

DRAG LINK-RENAULT				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	5010488052 5010060764	Renault Trucks: Kerax. Maxter G	Length: 934 mm Outer Diameter: 52 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Guide Rod Pipe Ø: 52 mm Weight: 10.1 kg
	DRAG LINK	5010144551 5010144556 5000745719	Renault Trucks: Manager. Maxter	Length: 975 mm Outer Diameter: 52 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 52 mm Weight: 10.5 kg
	DRAG LINK	5000725267 5010144549 5010144552 7485114927	Renault Trucks: Trucks G. Manager. Maxter	Length: 975 mm Outer Diameter: 52 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 52 mm Weight: 11 kg
	DRAG LINK	5010160453 5000725268	Renault Trucks: G. Major. R	Length: 998 mm Cone Size: 30 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Pipe Ø: 52 mm weight: 10.5 kg
	DRAG LINK	5010239386 5010130739	Renault Trucks: Major-R-Reihe	Length: 1018 mm Cone Size: 30 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Pipe Ø: 62 mm Rod/Strut: Suspension Rod weight: 11 kg
	DRAG LINK	5010294287	Renault Trucks: Premium	Length: 809 mm Outer Diameter: 50 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 50 mm Weight: 8.355 kg
	DRAG LINK	5010294502	Renault Trucks: Premium	Length: 847 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Pipe Ø: 52 mm Weight: 9.480 kg

DRAG LINK-RENAULT				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	5000932435 5010174787	Renault Trucks: Magnum	Length: 991 mm Outer Diameter: 36 mm Outer Thread: M 24 x 1.5 mm Cone Size: 24 mm Pipe Ø: 36 mm Weight: 5.5 kg
	DRAG LINK	5000761673 5010104286 5010207728		Pipe Ø: 36 mm Length: 555 mm Cone Size: 30 mm Rod/Strut: Suspension Rod
	DRAG LINK	5010383410		Pipe Ø: 30 mm Length: 560mm Cone Size: 20 mm weight:3.8kgs
	DRAG LINK	5010488052 5010229242	Renault Trucks: KARAX MAXTER	Length: 934 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Guide Rod Pipe Ø: 52 mm Weight: 10.1 kg
	DRAG LINK	5010229243 5010488053	Renault Trucks: Kerax	Length: 934 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30.2 mm Rod/Strut: Push Rod Diameter: 40 mm Pipe Ø: 52 mm Weight: 10.06 kg
	DRAG LINK	5010566058	Renault Trucks: Kerax. Magnum. Midlum. Premium	Length: 1595 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 27 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 40 mm Weight: 11.2 kg
	DRAG LINK	5010308082	Renault Trucks: Kerax. Premium	Length: 1620 mm Outer Thread: M24 x 1.5 mm Outer Thread: M30 x 1.5 mm Cone Size: 30 mm Rod/Strut: Push Rod Fitting Position: Front Axle Pipe Ø: 48 mm Weight: 14 kg

DRAG LINK-RENAULT				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	DRAG LINK	5010145584 5010439631 5010098467	Renault Trucks: Kerax. Major. Maxter. Premium	Length: 1645 mm Width: 62 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Fitting Position: Front Axle Pipe Ø: 48 mm Weight: 13.32 kg
	DRAG LINK	5000761671 5010104288	Renault Trucks: PREMIUM	Length: 1475mm Width: 62 mm Outer Thread: M 24 x 1.5 mm Outer Thread: M 30 x 1.5 mm Cone Size: 30 mm Fitting Position: Front Axle Pipe Ø: 48 mm Weight: 13.32 kg
	DRAG LINK	7420852436 7420906236 20906236	Renault Trucks: stabiliser PROEQUIP	Length: 260 mm Pipe Ø: 40 mm Cone Size: 32 mm
	DRAG LINK	0023123253 5010094838 5010094941 5010064641	Renault Trucks: C. Kerax. Magnum. Major. Manager. R	Steering Type: Trailing Arm Length: 575 mm Pipe Ø: 52 mm Diameter [mm]80 Bore Ø 1 / Bore Ø 2: 19/19 mm Hole Pitch 1/ Hole Pitch 2: 145/145 Weight; (kgs):13.5
	DRAG LINK	5010094840	Renault Trucks: KARAX MAXTER	Steering Type: Trailing Arm Length: 575 mm Pipe Ø: 52 mm Diameter [mm]80 Bore Ø 1 / Bore Ø 2: 21/21mm Hole Pitch 1/ Hole Pitch 2: 152/152 Weight; (kgs):13.5
	DRAG LINK	5010467915	Renault Trucks: KARAX MAXTER	Steering Type: Trailing Arm Length: 575 mm Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Diameter [mm]:70 Pipe Ø: 50 mm Mounting Type: Molecular Bearing