

TORQUE ROD-MERCEDES BENZ

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	9483502405 9483501305 9483501205 9483500605 9473500005	Mercedes: Actros Atego, Axor	Length: 565 mm Outer Diameter: 52 mm Diameter [mm]:85mm Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Rod/Strut: Guide Rod Fitting Position: Rear Axle left and right Weight: 12.36 kg 0003502705 Repair kit
	TORQUE ROD	6243500106 6593503506 6593501206	Mercedes: NG, SK	Length: 579 mm Diameter [mm]:85mm Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Rod/Strut: Guide Rod Fitting Position: Rear Axle Lower Weight: 12.432 kg 0005861135 Repair kit
	TORQUE ROD	6533500106 3813500606 6523500306	Mercedes: MK, NG, SK	Length: 522 mm Outer Diameter: 52 mm Hole Pitch 1/ Hole Pitch 2: 152 Bore Ø 1 / Bore Ø 2: 21 mm Rod/Strut: Guide Rod Fitting Position: Rear Axle Lower Weight: 15 kg
	TORQUE ROD	3933200632 6203500106 6553500306 6203500006	Mercedes: NG, SK	Length: 595 mm Outer Diameter: 62 mm Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Rod/Strut: Guide Rod Fitting Position: Rear Axle Lower Weight: 16.449 kg
	TORQUE ROD	6593500106 3953500206 6593502406	Mercedes: MK, NG, SK	Length: 585 mm Outer Diameter: 50 mm Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Rod/Strut: Guide Rod Fitting Position: Rear Axle Weight: 12.965 kg 0005861135 Repair kit
	TORQUE ROD	9413300011 000390098524 SA50831601	Actros, Atego, Axor, Econic	Length: 760 mm Outer Diameter: 40 mm Hole Pitch 1/ Hole Pitch 2: 100/100 Pipe Ø: 58 mm Bore Ø 1 / Bore Ø 2: 17/17 mm Rod/Strut: Guide Rod Weight: 7.66 kg 0003301411 Repair kit

TORQUE ROD-MERCEDES BENZ

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	9453300011	Mercedes: Actros, Atego	Length: 755 mm Outer Diameter: 40 mm Distance [mm]:100mm Rod/Strut: Guide Rod Fitting Position: Rear Axle left and right Weight: 7.52 kg 0003301411 Repair kit
	TORQUE ROD	3753500005 9423501005 9473500105 9423501505 9473501005 9443500005	Actros, Atego Axor, Econic	Length: 622 mm Outer Diameter: 46 mm Steering Type: Wishbone (CV) Fitting Position: Rear Axle Weight: 15.1 kg
	TORQUE ROD	9423501505 9443500005 9473501005	Mercedes: Actros, Atego, Axor, Econic	Length: 622 mm Outer Diameter: 48 mm Pitch Circle Ø: 25 mm Steering Type: Wishbone (CV) Fitting Position: Rear Axle Weight: 19.795 kg 0003504405 Repair kit
	TORQUE ROD	9483500905 9483502305	Mercedes Actros, Axor	Length: 667 mm Steering Type: Wishbone (CV) Fitting Position: Rear Axle Hole Pitch 1/ Hole Pitch 2: 152/130/130 Bore Ø 1 / Bore Ø 2: 25/23/23 mm Pipe Ø: 60 mm Weight: 31 kg
	TORQUE ROD	9443500305	Mercedes: Actros, Atego, Axor	Length: 622 mm Width [mm]:520mm Pipe Ø: 46 mm Hole Pitch 1/ Hole Pitch 2: 152/130/130 Bore Ø 1 / Bore Ø 2: 25/25/25 mm Pipe Ø: 46 mm 0003504905 Repair kit
	TORQUE ROD	9483502205	Mercedes: Actros, Axor	Length: 621.5mm Fitting Position: Rear Axle Hole Pitch 1/ Hole Pitch 2: 152/130/130 Bore Ø 1 / Bore Ø 2: 25/23/23 mm Diameter [mm]:60mm Width [mm]:481 Pipe Ø: 62 mm Weight: 27.310 kg 0003503605 Repair kit 0003503705 Repair kit

TORQUE ROD-MERCEDES BENZ

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	3433201632	FAMSA SAURER 2220-2620-2623-2624	Steering Type: Trailing Arm Length: 595 mm Cone Size: 45 mm Pipe Ø: 50 mm Thread size: 39*1.5 38*1.5*160 weight: 13.5kg
	TORQUE ROD	3433201732	FAMSA SAURER 2220-2620-2623-2624	Steering Type: Trailing Arm Length: 595 mm Cone Size: 45 mm Pipe Ø: 50 mm Thread size: 39*1.5 38*1.5*160 weight: 13.5kg
	TORQUE ROD	3433201832	FAMSA SAURER 2220-2620-2623-2624	Steering Type: Trailing Arm Length: 595 mm Cone Size: 45 mm Pipe Ø: 50 mm Thread size: 39*1.5 38*1.5*160 weight: 13.5kg
	TORQUE ROD	6593501206 6243500106 6593503506	Mercedes NG, SK	Length: 579 mm Outer Diameter: 50 mm Diameter [mm]: 80mm Rod/Strut: Guide Rod Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Fitting Position: Rear Axle Lower Weight: 12.432 kg 000 586 11 35 Repair kit
	TORQUE ROD	6593503406 6593501106 6243500006	ACTROS ATEGO NG SK	Length: 579 mm Outer Diameter: 58 mm Rod/Strut: Guide Rod Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Fitting Position: Rear Axle Upper Weight: 15.389 kg
	TORQUE ROD	6593500406 6593502706 3953500706	NG SK	Length: 585 mm Outer Diameter: 50 mm Rod/Strut: Guide Rod Diameter [mm]: 85mm Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Fitting Position: Rear Axle Lower Weight: 13kg 0005861135 Repair kit

TORQUE ROD-MERCEDES BENZ

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	6583500206 6553500006 6583500006 3933200106	NG SK	Length: 585 mm Outer Diameter: 50 mm Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Diameter [mm]:80mm Rod/Strut: Guide Rod Fitting Position: Rear Axle Lower Weight: 12.495 kg
	TORQUE ROD	6593503806 6593501506 6243500406	Mercedes: NG, SK	Length: 629 mm Outer Diameter: 48 mm Diameter [mm]:80mm Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21mm Rod/Strut: Guide Rod Fitting Position: Rear Axle Upper Weight: 20.158 kg 0003500413 Repair kit
	TORQUE ROD	6593501706 6243500606 6593504006	Mercedes O580	Length: 628 mm Outer Diameter: 48 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 19/19mm Rod/Strut: Guide Rod Fitting Position: Rear Axle Upper Weight: 20.158 kg 0005861135 Repair kit
	TORQUE ROD	3953501306 6243500506 6593503906 6593501006	NG SK	Length: 629 mm Outer Diameter: 58 mm Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Rod/Strut: Guide Rod Fitting Position: Rear Axle Upper Weight: 20.158 kg 0003500113 Repair kit
	TORQUE ROD	3953500606	MERCEDES BENZ	Length: 595mm Pipe: 50mm Diameter [mm]:80mm Rod/Strut: Guide Rod Fitting Position: Rear Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Weight: 14kg
	TORQUE ROD	3833500006 3813500206	MERCEDES BENZ	Length: 595mm Pipe: 50 mm Diameter [mm]:80mm Rod/Strut: Guide Rod Fitting Position: Rear Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Weight: 12.523 kg 0003500213 Repair kit

TORQUE ROD-MERCEDES BENZ

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	3953500806	NG 2219 2219L NG 2222 2222L	Length: 595mm Pipe: 50 mm Diameter [mm]:70mm Rod/Strut: Guide Rod Fitting Position: Rear Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Weight: 12.523 kg 0003502705 Repair kit
	TORQUE ROD	3853500006 6533500006	Mercedes: MK, NG, SK	Length: 500 mm Pipe: 50 mm Rod/Strut: Guide Rod Fitting Position: Rear Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Weight: 12.523 kg
	TORQUE ROD	395320013	G2223 NG2226	Length: 568mm Outer Diameter: 50 mm Rod/Strut: Guide Rod Weight: 14 kg Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm 0003500213 Repair kit
	TORQUE ROD	3953201432	Mercedes NG	Length: 638mm Outer Diameter: 50 mm Rod/Strut: Guide Rod Weight: 13.672 kg Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm 0003500213 Repair kit
	TORQUE ROD	3953201532	Mercedes: NG, SK	Length: 630 mm Outer Diameter: 50 mm Rod/Strut: Guide Rod Fitting Position: Rear Weight: 13.672 kg Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 21/21 mm 0003500213 Repair kit
	TORQUE ROD	941 330 00 07	Mercedes Actros, Axor	Length: 845 mm Outer Diameter: 60 mm Rod/Strut: Guide Rod Fitting Position: Front Axle left and right Weight: 13.406 kg

TORQUE ROD-MERCEDES BENZ

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	3573330905 3573330605	MERCEDES BENZ	Length: 662 mm Pipe Ø: 50 mm Bore Ø 1 / Bore Ø 2: 19/19 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Diameter [mm]:85 mm adjustable: not adjustable Weight:13.5 kgs 0003500506 Repair kit
	TORQUE ROD	6283330905 6283331705 6273500206 6273500306	Mercedes: Citaro, Conecto, Integro, Tourismo, Travego	Mounting Type: Molecular Bearing Length: 576 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 19/19 mm Pipe Ø: 48 mm Diameter [mm]:85 mm Weight:13.5 kgs 0003500506 Repair kit
	TORQUE ROD	3953500906	MERCEDES BENZ	Length: 635 mm Outer Diameter: 520mm Thickness [mm]:24mm Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Diameter [mm]:85 mm Weight: 14kg 0005861135 Repair kit
	TORQUE ROD	948 350 25 05 945 350 01 05 948 350 10 05	Mercedes: Actros, Axor, Zetros	Length: 615 mm Outer Diameter: 52 mm Thickness [mm]:24mm Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Fitting Position: Rear Axle Lower Diameter [mm]:70 mm Weight: 14kg 0003502705 Repair kit
	TORQUE ROD	6593502206 6593504506 6193500206	NG SK	Length: 660 mm Outer Diameter: 46 mm Thickness [mm]:24mm Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Fitting Position: Rear Axle Upper Diameter [mm]:85mm Weight: 14kg 0005861135 Repair kit
	TORQUE ROD	233046 20233046 B233046	BUS BOVA	Length: 700 mm Outer Diameter: 46 mm Thickness [mm]:24mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 19/19mm Fitting Position: Rear Axle Upper Diameter [mm]:85mm Weight: 12kg

TORQUE ROD-MERCEDES BENZ

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	6593501606 6243500506 6593503906	Mercedes: NG, SK	Length: 629 mm Outer Diameter: 58 mm Thickness [mm]:24mm Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Fitting Position: Rear Axle Upper Diameter [mm]:90mm Weight: 12kg 0003500113 Repair kit
	TORQUE ROD	6593501306 6593503606 3953501006	NG SK	Length: 629 mm Outer Diameter: 58 mm Rod/Strut: Guide Rod Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 21/21 mm Diameter [mm]:95mm Fitting Position: Rear Axle left and right Weight: 12.36 kg 0003500413 Repair kit
	TORQUE ROD	9483500805 9486500805 9483500605 9483502405 9483501205 9483501305 9483502005 9483500006	Mercedes: Actros, Atego, Axor	Length: 565 mm Outer Diameter: 52 mm Rod/Strut: Guide Rod Fitting Position: Rear Axle left and right Weight: 12.36 kg 0003502705 Repair kit

TORQUE ROD-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	20374444 20517494 20410530 20509018	Volvo: 8700, FH, FM	Length: 625 mm Width: 98 mm Thickness: 130 mm Inner Diameter: 17 mm Rod/Strut: Guide Rod Fitting Position: Rear Axle left and right Weight: 12.9 kg
	TORQUE ROD	1621419 1608151	Volvo: FH12, FH16, FM9	Length: 621 mm Width: 100mm pipe: 48mm Inner Diameter: 17 mm Rod/Strut: Guide Rod Weight: 11kg
	TORQUE ROD	20453121	Volvo: FH12, FH16, FM9,	Length: 440mm Width: 115mm pipe: 50mm Inner Diameter: 17 mm Rod/Strut: Guide Rod Weight: 9.5kg
	TORQUE ROD	20453123	Volvo FH, FM	Length: 449 mm Pipe Ø: 48 mm Bore Ø 1 / Bore Ø 2: 17 / 17 mm Hole Pitch 1/ Hole Pitch 2: 115 / 115 adjustable: not adjustable 2136591 repair kit
	TORQUE ROD	8154016 1606551	Volvo: FD10 F12 F16 FL10 FH12 FL7 N10	Length: 660mm pipe: 48 mm Width: 75mm Thickness: 130 mm Inner Diameter: 21mm Rod/Strut: Guide Rod Fitting Position: Rear Axle left and right Weight: 11.5 kg
	TORQUE ROD	1626958	Volvo: F12 F16 FH12 FL7 N10 NH12 FH520 FH480 FH440	Mounting Type: Molecular Bearing Steering Type: Trailing Arm Length: 571 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 21/21 mm Pipe Ø: 48 mm
	TORQUE ROD	8158207 1607079 8154018	Volvo: F10 F16 F110 FL12 N10	Length: 660 mm Pipe Ø: 48 mm Rod/Strut: Guide Rod Fitting Position: Rear Weight: 14 kg 2013570 Repair kit
	TORQUE ROD	21461309 70371272	Volvo 8700	Steering Type: Trailing Arm Length: 444 mm Pipe Ø: 48 mm Bore Ø 1 / Bore Ø 2: 17 / 17 mm Hole Pitch 1/ Hole Pitch 2: 115 / 115


TORQUE ROD-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	20510773 20912523 20912602 70371202	Volvo:B7 B7R B9R 7350 8300 8700 9300 9400	Steering Type: Trailing Arm Length: 666mm Pipe Ø: 48 mm Bore Ø 1 / Bore Ø 2: 17 / 17 mm Hole Pitch 1/ Hole Pitch 2: 115 / 115
	TORQUE ROD	24426042 9959658 20837990	Volvo: B9S B12 B12B/M	2078086 repair kit
	TORQUE ROD	24426046 9955949 21119678 70376950	Volvo: B12 B12B/M	Steering Type: Trailing Arm Length: 510 mm Pipe Ø: 48 mm Bore Ø 1 / Bore Ø 2: 17/17 mm Hole Pitch 1/ Hole Pitch 2: 130/130 adjustable: not adjustable 2954901 repair kit
	TORQUE ROD	21072242 24426047 20816995 70313756	Volvo B Irizar	Steering Type: Trailing Arm Length: 576 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 17/17 mm Pipe Ø: 48 mm adjustable: not adjustable Mounting Type: Molecular Bearing
	TORQUE ROD	20741703 20741695 20367004 20507262 20741703	Volvo: FE, FH, FM Renault Trucks: Kerax, Premium	Length: 668 mm Steering Type: Wishbone (CV) Diameter: 48 mm Fitting Position: Rear Axle left and right Weight: 21.63 kg
	TORQUE ROD	20829503 1076639 1629734 20392649 1626896	Volvo: FH, FM, NH Renault Trucks: Kerax	Length: 672 mm Width: 600 mm Steering Type: Wishbone (CV) Diameter: 50 mm Fitting Position: Rear Axle Weight: 28 kg
	TORQUE ROD	3172829	Volvo: FH12 FM12 NH12	Length: 686 mm Steering Type: Wishbone (CV) Steering Link Form: Wishbone Diameter: 46 mm Fitting Position: Rear Axle Weight: 21 kg

TORQUE ROD-VOLVO				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	1080690 1606200 1509222 6886777	Volvo	Steering Type: Wishbone (CV) Length: 635 mm Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 23/23 mm Pipe Ø: 58 mm 273706 repair kit
	TORQUE ROD	1606552	Volvo: F, FL, N	Length: 641 mm Inner Diameter: 21 mm Steering Type: Wishbone (CV) Fitting Position: Rear Axle Pipe Ø: 48 mm Weight: 22.9 kg 274069 repair

TORQUE ROD-MAN

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	81432206211 81432206189 81432206210	Neoplan: Centroliner MAN: NG. NL. NM. NÜ. SD	Length: 614 mm Width: 50 mm Thickness: 160 mm Inner Diameter: 19 mm Rod/Strut: Guide Rod Fitting Position: Rear Axle left and right Pipe Ø: 50 mm Weight: 13.5 kg
	TORQUE ROD	81432306037	MAN	Steering Type: Trailing Arm Length: 500 mm Pipe Ø: 50 mm Bore Ø 1 / Bore Ø 2: 19/19 mm Hole Pitch 1/ Hole Pitch 2: 130/130 adjustable: not adjustable
	TORQUE ROD	81432206129 81432306030 81432306014 81432206098	MAN: E. F. M. TGA Erf: ECT	Length: 573 mm Inner Diameter: 19 mm Outer Diameter: 50 mm Material: Steel Rod/Strut: Guide Rod Fitting Position: Rear Axle Lower Weight: 10.670 kg
	TORQUE ROD	81432206018 81432206041 81432206013 81432206028 81432206040	MAN	Length: 565 mm Inner Diameter: 19 mm Outer Diameter: 50 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 19/19 mm Rod/Strut: Guide Rod Fitting Position: Front Axle Weight: 13.600 kg
	TORQUE ROD	81432206272 81432206267 81432206236	MAN: TGA. TGS. TGX	Length: 573 mm Diameter: 48 mm Fitting Position: Rear Axle Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 19/19 mm Weight: 10.700 kg
	TORQUE ROD	81432206129 81432306030 81432306014 81432206098	MAN: E. F. M. TGA Erf: ECT	Length: 573 mm Inner Diameter: 19 mm Outer Diameter: 50 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 19/19 mm Fitting Position: Rear Axle Lower Weight: 10.670 kg

TORQUE ROD-MAN

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	81432206071 81432206070 81432206091	MAN:E2000 F2000 F90 TGA	Length: 585 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 21/21 mm Pipe Ø: 58 mm
	TORQUE ROD	81432206196 81432206232 81432206233	MAN F. TGA. TGS. TGX	Steering Type: Trailing Arm adjustable: not adjustable Length: 596 mm Pipe Ø: 48 mm Bore Ø 1 / Bore Ø 2: 19/19 mm Hole Pitch 1/ Hole Pitch 2: 130/130
	TORQUE ROD	81432206043	MAN	Steering Type: Trailing Arm adjustable: not adjustable Length: 661mm Pipe Ø: 40 mm Bore Ø 1 / Bore Ø 2: 19/19 mm Hole Pitch 1/ Hole Pitch 2: 130/130 0003300611
	TORQUE ROD	81432206042	MAN Trucks	Length: 762 mm Mounting points diameter: 19 mm Steering Type: Control Arm Fitting Position: Rear Axle left and right Fitting Position: Lower Pipe Ø: 50 mm Weight: 17.216 kg
	TORQUE ROD	81432206042 81432306031	MAN: M	Steering Type: Trailing Arm adjustable: not adjustable Length: 596 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 19/19 mm Pipe Ø: 50 mm
	TORQUE ROD	81432206236 81432209236 81432206304 81432206229	MAN: TGA. TGS. TGX	Length: 573 mm Diameter: 48 mm Fitting Position: Rear Axle Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 19/19 mm Weight: 10.700 kg
	TORQUE ROD	81432206277 81432206276 81432206183 81432206151	Neoplan. MAN. Irizar	Steering Type: Trailing Arm Length: 570 mm Pipe Ø: 48 mm Bore Ø 1 / Bore Ø 2: 19/19 mm Hole Pitch 1/ Hole Pitch 2: 130/130 adjustable: not adjustable

TORQUE ROD-MAN

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	81432206161 81432206190	Neoplan: Centroliner MAN: NG. NL. NM. NÜ. TGA. TGX	Steering Type: Trailing Arm Length: 531 mm Pipe Ø: 48 mm Bore Ø 1 / Bore Ø 2: 19/19 mm Hole Pitch 1/ Hole Pitch 2: 130/130 adjustable: not adjustable
	TORQUE ROD	81432206090 81432206092 81432206068 81432206067	MAN: F. TGA	Length: 590 mm Mounting points diameter: 19 mm Thickness: 30 mm Outer Diameter: 85 mm Pipe Ø: 50 mm Weight: 12.9 kg
	TORQUE ROD	81432206174	MAN: Hocl. M	Length: 644 mm Thickness: 138 mm Inner Diameter: 40 mm Inner Diameter: 65 mm Rod/Strut: Guide Rod Fitting Position: Rear Axle Pipe Ø: 50 mm Weight: 10.6 kg
	TORQUE ROD	81432206025	MAN SL. SR	Length: 455 mm Mounting points diameter: 19 mm Outer Diameter: 85 mm Steering Type: Trailing Arm Thickness: 30 mm Fitting Position: Upper Pipe Ø: 50 mm Weight: 15.24 kg 81953020037
	TORQUE ROD	81432309031 81432306015 81432306031	MAN M90	Length: 596 mm Mounting points diameter: 19 mm Thickness: 30 mm Outer Diameter: 80 mm Mounting points diameter: 19 mm Pipe Ø: 50 mm Weight: 12.9 kg
	TORQUE ROD	81.43220.6247	TGA.TGS.TGX	Length: 414 mm Width: 75 mm Thickness: 166 mm Inner Diameter: 23 mm Fitting Position: Rear Axle left and right Pipe Ø: 50 mm Weight: 10.5 kg

TORQUE ROD-MAN

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	81432206208 81432206209 81432206162 81432206160	MAN NG.NL. NU CENTRO-E	Length: 531 mm Pipe Ø: 48 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 19/19 mm Outer Diameter: 85 mm
	TORQUE ROD	81.43220.6185 81.43220.6103 81.43220.6143	MAN EL. NG. NL	Length: 750 mm Outer Diameter: 48 mm Mounting points diameter: 19 mm Thickness: 30 mm Outer Diameter: 85 mm Fitting Position: Rear Axle left and right Fitting Position: Lower Weight: 12.263 kg
	TORQUE ROD	81432206279 81432206258 36432206003	MAN Hocl. Lion. SL. SÜ	Length: 622 mm Mounting points diameter: 19 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Outer Diameter: 85 mm Thickness: 30 mm Fitting Position: Rear Axle left and right Fitting Position: Lower Pipe Ø: 50 mm Weight: 14.85 kg
	TORQUE ROD	81432206220 81432206112 81432206123	MAN	Length: 630 mm Mounting points diameter: 19 mm Fitting Position: Rear Axle left and right Pipe Ø: 50 mm Weight: 11.9 kg
	TORQUE ROD	81432206025	MAN SL. SR	Length: 455 mm Mounting points diameter: 19 mm Thickness: 30 mm Outer Diameter: 85 mm Pipe Ø: 50 mm Weight: 15.24 kg
	TORQUE ROD	81432206317	MAN: LION'S CITY BUS CHASSIS	Length: 548 mm Pipe Ø: 48 mm Thickness: 24 mm Outer Diameter: 85 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 19/19 mm Bearing Type: Molecular Bearing

TORQUE ROD-MAN

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	81432706082 81432706074 81432706057 81432709034	MAN: E. F	Length: 621 mm Length: 170 mm Width: 120 mm Cone Size: 48 mm Diameter: 58 mm Fitting Position: Rear Axle Upper Weight: 31.200 kg
	TORQUE ROD	81432706056 81432706075 81432706077 81432709056	MAN: F. TGA	Steering Type: Wishbone (CV) Length: 627 mm Pipe Ø: 58 mm Bore Ø 1 / Bore Ø 2: 23/23 mm Hole Pitch 1/ Hole Pitch 2: 152/152 Mounting Type: Molecular Bearing
	TORQUE ROD	81432706102 81432706106 81432706108	MAN: E. F. TGA. TGM. TGS. TGX	Length: 578.6 mm 713mm Thickness: 130mm Inner Diameter: 25 23 23 mm Steering Type: Wishbone (CV) Diameter: 48 mm Fitting Position: Rear Axle Weight: 22.905 kg
	TORQUE ROD	81432706094 81432706087	MAN: E. F. TGA. TGM. TGS. TGX	Length: 627 mm Width: 513 mm Thickness: 125 mm Inner Diameter: 25 mm Steering Type: Wishbone (CV) Diameter: 48 mm Fitting Position: Rear Axle Weight: 22.905 kg

TORQUE ROD-SCANIA				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	1399180	Scania: Serie 3. Serie 4. Serie P/R/T	Length: 568 mm Rod/Strut: Push Rod Fitting Position: Front Axle Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17 mm Number of Wings: 8 Weight: 9.56 kg
	TORQUE ROD	1428347	Scania	Length: 568 mm Width: 85 mm Thickness: 144 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17 mm Mounting points diameter: 17 mm Pipe Ø: 46 mm Weight: 8.7 kg
	TORQUE ROD	1428349	Scania: P114 P124 P94 R124	Length: 523 mm Inner Diameter: 17.02 mm Outer Diameter: 46 mm Rod/Strut: Guide Rod Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17 mm Fitting Position: Rear Axle Weight: 7.49 kg
	TORQUE ROD	1326775	Scania: P114 P124 P94 R124	Length: 523 mm Inner Diameter: 17.02 mm Outer Diameter: 46 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17 mm Rod/Strut: Guide Rod Fitting Position: Rear Axle Weight: 7.49 kg
	TORQUE ROD	1379090 1770730 1420698	Scania	Length: 552 mm Inner Diameter: 17.02 mm Outer Diameter: 46 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17 mm Rod/Strut: Guide Rod Fitting Position: Rear Axle Weight: 10.5kg
	TORQUE ROD	1388436	Scania: Serie 3. Serie 4. Serie P/R/T	Length: 592 mm Width: 98 mm Thickness: 150 mm Mounting points diameter: 19 mm Diameter [mm]: 75 Rod/Strut: Push Rod Pipe Ø: 50 mm Weight: 12.6 kg
	TORQUE ROD	466801 465816	Scania	Steering Type: Trailing Arm Length: 650 mm Pipe Ø: 48 mm Bore Ø 1 / Bore Ø 2: 19/19 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Diameter [mm]: 85 weight: 13kgs

TORQUE ROD-SCANIA

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	489989 445599 1514276 1796671	Scania	Steering Type: Trailing Arm Length: 650 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 19/19 mm Pipe Ø: 48 mm Diameter [mm]:/85 weight:13.6kgs
	TORQUE ROD	1770731 1431470	Scania:3 series 4 series bus series 4	Steering Type: Trailing Arm Length: 752 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17 mm Pipe Ø: 48 mm Diameter [mm]:/75 weight:13.6kgs
	TORQUE ROD	1399019 1500576	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 615 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17mm Pipe Ø: 50 mm Diameter [mm]:/75 weight:13.6kgs
	TORQUE ROD	1485758 1486757	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 568mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 19/19 mm Pipe Ø: 46 mm Diameter [mm]:67mm weight:11kgs
	TORQUE ROD	1499478 1722750 1485760	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 661.5mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 19/19 mm Pipe Ø: 50mm Diameter [mm]:/75mm weight:12kgs
	TORQUE ROD	1722746 1499474	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 568 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 19/19 mm Pipe Ø: 50 mm Diameter [mm]:/75 weight:12kgs
	TORQUE ROD	1486758	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 522mm Hole Pitch 1/ Hole Pitch 2: 115/ 115 Bore Ø 1 / Bore Ø 2: 19/19 mm Pipe Ø: 46mm Diameter [mm]:67MM weight:11kgs

TORQUE ROD-SCANIA

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	1722747 1500573 1499475	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 568.5 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 19/19 mm Pipe Ø: 50 mm Diameter [mm]:75MM weight:11.5kgs
	TORQUE ROD	1722749 1499477	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 606 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 19/19 mm Pipe Ø: 50 mm Diameter [mm]:75 mm weight:13.6kgs
	TORQUE ROD	1722751 1499479	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 629 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 19/19 mm Pipe Ø: 50 mm Diameter [mm]:75 mm weight:12kgs
	TORQUE ROD	1500572	Scania:4 SERIES	Steering Type: Trailing Arm Length: 568.5mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17 mm Pipe Ø: 50 mm Diameter [mm]:75 mm weight:12kgs
	TORQUE ROD	1393298 1101843 1379423 1942074	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 752 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 19/19 mm Pipe Ø: 48 mm Diameter [mm]:67 mm weight:13kgs
	TORQUE ROD	1485759	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 580 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 19/19 mm Pipe Ø: 46mm Diameter [mm]:75 mm weight:12kgs
	TORQUE ROD	1399182	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 580mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17mm Pipe Ø: 46 mm Diameter [mm]:75 mm weight:12kgs

TORQUE ROD-SCANIA

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	1399181	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 522mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17mm Pipe Ø: 46 mm Diameter [mm]:75 mm weight:12kgs
	TORQUE ROD	1367282	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 540mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17mm Pipe Ø: 46 mm Diameter [mm]:75 mm weight:12kgs
	TORQUE ROD	1485753	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 522.5mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 19/19mm Pipe Ø: 46 mm Diameter [mm]:75 mm weight:12kgs
	TORQUE ROD	1782019	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 522.5mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 19/19mm Pipe Ø: 48mm Diameter [mm]:75 mm weight:12kgs
	TORQUE ROD	1782023	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 568.5mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 19/19mm Pipe Ø: 48 mm Diameter [mm]:75 mm weight:12kgs
	TORQUE ROD	1494296	Scania:4 SERIES P-G-R-T SERIES	Steering Type: Trailing Arm Length: 552mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 19/19mm Pipe Ø: 46 mm Diameter [mm]:75 mm weight:12kgs
	TORQUE ROD	1324890	Scania:BUS SERIES 3	Steering Type: Trailing Arm Length: 697 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17mm Pipe Ø: 48mm Diameter [mm]:75 mm weight:12kgs

TORQUE ROD-SCANIA

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	463435	Scania:BUS SERIES 3	Steering Type: Trailing Arm Length: 750mm Hole Pitch 1/ Hole Pitch 2: 100/100 Bore Ø 1 / Bore Ø 2: 17/17mm Pipe Ø: 38mm Diameter [mm]:67 mm weight:12kgs
	TORQUE ROD	455463	Scania:BUS SERIES 3	Steering Type: Trailing Arm Length: 750mm Hole Pitch 1/ Hole Pitch 2: 100/100 Bore Ø 1 / Bore Ø 2: 17/17mm Pipe Ø: 38 mm Diameter [mm]:767mm weight:12kgs
	TORQUE ROD	475230	Scania:BUS SERIES 3	Steering Type: Trailing Arm Length: 652 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17mm Pipe Ø: 468mm Diameter [mm]:75 mm weight:12kgs
	TORQUE ROD	477889 1431471	Scania:BUS SERIES 4	Steering Type: Trailing Arm Length: 532mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17mm Pipe Ø: 46 mm Diameter [mm]:75 mm weight:12kgs
	TORQUE ROD	1770732 1431472 477890	Scania:BUS SERIES 4	Steering Type: Trailing Arm Length: 637 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17mm Pipe Ø: 48 mm Diameter [mm]:75 mm weight:12kgs
	TORQUE ROD	481959 1431475	Scania:BUS SERIES 4	Steering Type: Trailing Arm Length: 670 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 19/19mm Pipe Ø: 48 mm Diameter [mm]:85 mm thickness:30mm weight:12kgs
	TORQUE ROD	488738	Scania:BUS SERIES 4 . K94 . N94. 114.124	Steering Type: Trailing Arm Length: 293 mm Hole Pitch 1:90mm Bore Ø 1 :15mm Pipe Ø: 36 mm Diameter [mm]:85 mm weight:5kgs

TORQUE ROD-SCANIA

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	1431474 1324889	Scania:BUS SERIES	Steering Type: Trailing Arm Length: 652mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17mm Pipe Ø: 48 mm Diameter [mm]:75 mm thickness:24mm weight:12kgs
	TORQUE ROD	1431710	Scania:BUS SERIES 4	Steering Type: Trailing Arm Length: 640 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 19/19mm Pipe Ø: 48 mm Diameter [mm]:85 mm thickness:30mm weight:12kgs
	TORQUE ROD	1431473 478058 0478058	Scania:BUS SERIES 4	Steering Type: Trailing Arm Length: 600 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17mm Pipe Ø: 46 mm Diameter [mm]:75 mm thickness:24mm weight:12kgs

TORQUE ROD-IVECO

PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	98472466 41009661 41272429	Iveco: Eurostar. Eurotech Eurotrakker. Stralis Trakker	Length: 592 mm Thickness: 24 mm Outer Diameter: 75 mm Hole Pitch 1/ Hole Pitch 2: 130 Bore Ø 1 / Bore Ø 2: 19/19 mm Pipe Ø: 46 mm Weight: 10.1 kg
	TORQUE ROD	98472871	Iveco: Eurotech	Length: 598 mm Bolt Hole Circle Ø: 19 mm Rod/Strut: Guide Rod Fitting Position: Rear Axle left and right Fitting Position: Lower Pipe Ø: 49.7 mm Weight: 11.2 kg
	TORQUE ROD	41225960 41009961	Iveco: Eurostar. Eurotrakker Stralis	Length: 455 mm Inner Diameter: 19 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 19/19 mm Pipe Ø: 50 mm Weight: 12.243 kg
	TORQUE ROD	41033731	Iveco: Eurostar. Eurotrakker Stralis	Length: 455 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 19/19 mm Inner Diameter: 19 mm Outer Diameter: 98 mm Pipe Ø: 50 mm Weight: 10.4 kg
	TORQUE ROD	8137027	IVECO: EUROCARGO	Length: 594 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Outer Diameter: 67 mm Pipe Ø: 40 mm Weight: 7.4 kg
	TORQUE ROD	500338783	IVECO	Hole Pitch 1/ Hole Pitch 2: 130/130 Length: 695 mm Pipe Ø: 46 mm Weight: 1.0 kg
	TORQUE ROD	41028600 41002770 41042050	Iveco: Eurostar. Eurotech Eurotrakker. Stralis	Length: 665 mm Cone Size: 38 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 21/21 mm Diameter: 46 mm Fitting Position: Rear Axle Weight: 19.780 kg

TORQUE ROD-DAF				
PICTURE	DESCRIPTION	OE NO.	VECHILE	MARK
	TORQUE ROD	0649819 1620437 1793877	DAF: 95. F	Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 23/23 mm Steering Type: Wishbone (CV) Length: 550 mm Pipe Ø: 58 mm
	TORQUE ROD	1793876 1361652 1620436	DAF: 75 85 95	Length: 608 mm Hole Pitch 1/ Hole Pitch 2: 152/152 Bore Ø 1 / Bore Ø 2: 23/23 mm Steering Link Form: Four-point steering Fitting Position: Rear Axle Pipe Ø: 50 mm Weight: 32.00 kg
	TORQUE ROD	1294251	DAF: 75. 85. CF	Length: 690 mm Width: 165 mm Thickness: 80 mm Rod/Strut: Guide Rod Inner Length: 606 mm Diameter: 42 mm Fitting Position: Rear Axle left and right Weight: 8.38 kg
	TORQUE ROD	1261101	DAF: 75. 95. CF	Length: 390 mm Width: 98 mm Thickness: 190 mm Bolt Hole Circle Ø: 19 mm Bolt Hole Circle Ø: 21 mm Fitting Position: Rear Axle left and right Fitting Position: Upper Pipe Ø: 50 mm Weight: 11.2 kg
	TORQUE ROD	0099990	DAF CF. XF	Steering Type: Trailing Arm Length: 665 mm Pipe Ø: 46 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17 mm
	TORQUE ROD	1274741	DAF: CF75 CF85 XF95 XF105	Steering Type: Trailing Arm Length: 600 mm Pipe Ø: 40 mm Hole Pitch 1/ Hole Pitch 2: 115/115 Bore Ø 1 / Bore Ø 2: 17/17 mm Bearing Type: Molecular Bearing
	TORQUE ROD	1361650 1656428 1817809 1361649	DAF CF	Steering Type: Trailing Arm Length: 605 mm Pipe Ø: 48 mm Hole Pitch 1/ Hole Pitch 2: 130/130 Bore Ø 1 / Bore Ø 2: 21/21 mm Bearing Type: Molecular Bearing