




BRAKE CHAMBER	
PICTURE	SPECIFICATION
	TYPE:30/30DD MOUNTING BOLT:5/8-11UNC MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:64 PUSH ROD THREAD:5/8-18UNF PUSH ROD LENGTH:285 Original No.:9253020020
	TYPE:30/30DD MOUNTING BOLT:5/8-11UNC MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:64 PUSH ROD THREAD:5/8-18UNF PUSH ROD LENGTH:285 Original No.:9253020020
	TYPE:30/30DD MOUNTING BOLT:5/8-11UNC MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:64 PUSH ROD THREAD:5/8-18UNF PUSH ROD LENGTH:285 Original No.:9253020020
	TYPE:30/30DD MOUNTING BOLT:5/8-11UNC MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:75 PUSH ROD THREAD:5/8-18UNF PUSH ROD LENGTH:285 Original No.:9253020020
	TYPE:30/30DD MOUNTING BOLT:5/8-11UNC MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:57 PUSH ROD THREAD:5/8-18UNF PUSH ROD LENGTH:285 Original No.:9253020020


BRAKE CHAMBER	
PICTURE	SPECIFICATION
	TYPE:30/30DD SEALED MOUNTING BOLT:5/8-11UNC MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:64 PUSH ROD THREAD:5/8-18UNF PUSH ROD LENGTH:285 Original No.:KN36200/4231051300
	TYPE:24/30DD MOUNTING BOLT:5/8-11UNC MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:75 PUSH ROD THREAD:5/8-18UNF PUSH ROD LENGTH:285 Original No.:4231070500
	TYPE:24/30DD SEALED MOUNTING BOLT:5/8-11UNC MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:64 PUSH ROD THREAD:5/8-18UNF PUSH ROD LENGTH:285 OriginalNo.:4231061160/4231069000
	TYPE:24/30DD MOUNTING BOLT:5/8-11UNC MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:64 PUSH ROD THREAD:5/8-18UNF PUSH ROD LENGTH:285 Original No.:9253713000
	TYPE:24/30DD MOUNTING BOLT:5/8-11UNC MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:64 PUSH ROD THREAD:5/8-18UNF PUSH ROD LENGTH:285 Original No.:9253713000

BRAKE CHAMBER	
PICTURE	SPECIFICATION
	TYPE:24/24DD MOUNTING BOLT:M16×1.5 MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:64 PUSH ROD THREAD: M16×1.5 PUSH ROD LENGTH:285
	TYPE:16/24DP MOUNTING BOLT:M16×1.5 MOUNTING BOLT CENTER:120.7 INPUT THREADS: M16×1.5 STROKE:64 PUSH ROD THREAD: M16×1.5 PUSH ROD LENGTH:270 Original No.:9253241000/9253240000
	TYPE:24/24DP MOUNTING BOLT:M16×1.5 MOUNTING BOLT CENTER:120.7 INPUT THREADS: M16×1.5 STROKE:64 PUSH ROD THREAD: M16×1.5 PUSH ROD LENGTH:285 Original No.:9253213000/9253212020
	TYPE:30/30DP MOUNTING BOLT:M16×1.5 MOUNTING BOLT CENTER:120.7 INPUT THREADS: M16×1.5 STROKE:64 PUSH ROD THREAD: M16×1.5 PUSH ROD LENGTH:285 Original No.:9253222410/9253222510
	TYPE:24/30DP MOUNTING BOLT:M16×1.5 MOUNTING BOLT CENTER:120.7 INPUT THREADS: M16×1.5 PUSH ROD THREAD: M16×1.5 PUSH ROD LENGTH:285 Original No.:9253214070

BRAKE CHAMBER	
PICTURE	SPECIFICATION
	TYPE:30/24DP MOUNTING BOLT:M16×1.5 MOUNTING BOLT CENTER:120.7 INPUT THREADS: M16×1.5 STROKE:64 PUSH ROD THREAD: M16×1.5 PUSH ROD LENGTH:285
	TYPE:T9 MOUNTING BOLT:7/16-14UNC MOUNTING BOLT CENTER:76 INPUT THREADS: NPT3/8 STROKE:46 PUSH ROD THREAD: 1/2-20UNF PUSH ROD LENGTH:345 Original No.:KN36009
	TYPE:T12 MOUNTING BOLT:7/16-14UNC MOUNTING BOLT CENTER:76 INPUT THREADS: NPT3/8 STROKE:47 PUSH ROD THREAD: 1/2-20UNF PUSH ROD LENGTH:345 Original No.:KN36012
	TYPE:T16 MOUNTING BOLT:7/16-14UNC MOUNTING BOLT CENTER:76 INPUT THREADS: NPT3/8 STROKE:65 PUSH ROD THREAD: 1/2-20UNF PUSH ROD LENGTH:245 Original No.:KN36016/4231049000
	TYPE:T20 MOUNTING BOLT:5/8-11UNC MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:64 PUSH ROD THREAD:5/8-18UNF PUSH ROD LENGTH:275 Original No.:KN36200/4231051300

BRAKE CHAMBER	
PICTURE	SPECIFICATION
	TYPE:T20 (special designed for Russian market) MOUNTING BOLT:M12×1.25 MOUNTING BOLT CENTER:76 INPUT THREADS: M16×1.5 STROKE:64 PUSH ROD THREAD: M12×1.25 PUSH ROD LENGTH:275
	TYPE:T24 MOUNTING BOLT:5/8-11UNC MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:64 PUSH ROD THREAD:5/8-18UNF PUSH ROD LENGTH:285 Original No.:4231061160/4231069000
	TYPE:T30 MOUNTING BOLT:5/8-11UNC MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:64 PUSH ROD THREAD:5/8-18UNF PUSH ROD LENGTH:285 Original No.:4231070500
	TYPE:T30 MOUNTING BOLT:5/8-11UNC MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:75 PUSH ROD THREAD:5/8-18UNF PUSH ROD LENGTH:285 Original No.:4231070500
	TYPE:T36 MOUNTING BOLT:M16×1.5 MOUNTING BOLT CENTER:120.7 INPUT THREADS: M22×1.5 STROKE:75 PUSH ROD THREAD: M16×1.5 PUSH ROD LENGTH:285 Original No.:4230089170

BRAKE CHAMBER	
PICTURE	SPECIFICATION
	TYPE:T24 DISC MOUNTING BOLT:M16×1.5 MOUNTING BOLT CENTER:120.7 INPUT THREADS: M16×1.5 PUSH ROD THREAD: PUSH ROD LENGTH:105 Original No.:KN-BS3509
	TYPE:24/24 DISC MOUNTING BOLT:M16×1.5 MOUNTING BOLT CENTER:120.7 INPUT THREADS: M22×1.5 STROKE:64 PUSH ROD THREAD: / PUSH ROD LENGTH:105 Original No.:KN-BS9503
	TYPE:30/24 VOLVO B10 MOUNTING BOLT:M16×1.5 MOUNTING BOLT CENTER:120.7 INPUT THREADS: M16×1.5 STROKE:64 PUSH ROD THREAD: M16×1.5 PUSH ROD LENGTH:125/285
	TYPE:24/30DD SEALED/DISC MOUNTING BOLT:5/8-11UNC MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:64 PUSH ROD THREAD:5/8-18UNF PUSH ROD LENGTH:/
	TYPE:24/30DP MOUNTING BOLT:M16×1.5 MOUNTING BOLT CENTER:120.7 INPUT THREADS: M16×1.5 STROKE:64 PUSH ROD THREAD: M16×1.5 PUSH ROD LENGTH:/

BRAKE CHAMBER	
PICTURE	SPECIFICATION
	TYPE:24/24DP MOUNTING BOLT:M16×1.5 MOUNTING BOLT CENTER:120.7 INPUT THREADS: M16×1.5 STROKE:64 PUSH ROD THREAD: M16×1.5 PUSH ROD LENGTH:285
	TYPE:16/24 SEALED MOUNTING BOLT:5/8-11UNC MOUNTING BOLT CENTER:120.7 INPUT THREADS:NPT3/8 STROKE:64 PUSH ROD THREAD:5/8-18UNF PUSH ROD LENGTH:/ Original No.:4231061160/4231069000
	TYPE: 20/30DP MOUNTING BOLT: M16*1.5 MOUNTING BOLT CENTER:120.7 INPUT THREADS: M16*1.5 STROKE: 64 PUSH ROD THREAD: M16*1.5 PUSH ROD LENGTH: 285
	TYPE: 20/24DP MOUNTING BOLT: M16*1.5 MOUNTING BOLT CENTER:120.7 INPUT THREADS: M16*1.5 STROKE: 64 PUSH ROD THREAD: M16*1.5 PUSH ROD LENGTH: 285
	TYPE: 20/24DP DISC MOUNTING BOLT: M16*1.5 MOUNTING BOLT CENTER:120.7 INPUT THREADS: M16*1.5 STROKE: 64 PUSH ROD THREAD: PUSH ROD LENGTH: 105
	TYPE: 24/24DP DISC MOUNTING BOLT: M16*1.5 MOUNTING BOLT CENTER:120.7 INPUT THREADS: M16*1.5 STROKE: 64 PUSH ROD THREAD: PUSH ROD LENGTH: 105

BRAKE CHAMBER	
PICTURE	SPECIFICATION
	TYPE: 24/24 MOUNTING BOLT:M16*1.5 MOUTING BOLT CENTER:120.7 INPUT THREADS: M16*1.5 STROKE: 64 PUSH ROD THREAD: M16*1.5 PUSH ROD LENGTH: 125 OE:100-3519200
	TYPE: 20/20 MOUNTING BOLT:M16*1.5 MOUTING BOLT CENTER:120.7 INPUT THREADS: M16*1.5 STROKE: 64 PUSH ROD THREAD: M16*1.5 PUSH ROD LENGTH: 125 OE: 100-3519100
	TYPE:24/30 MOUNTING BOLT:M16*1.5 MOUTING BOLT CENTER:120.7 INPUT THREADS: M16*1.5 STROKE: 64 PUSH ROD THREAD: M16*1.5 PUSH ROD LENGTH: OE: 24.3519200
	TYPE:24/30 MOUNTING BOLT:M16*1.5 MOUTING BOLT CENTER:120.7 INPUT THREADS: M16*1.5 STROKE: 75 PUSH ROD THREAD: M16*1.5 PUSH ROD LENGTH: 285 OE: 9253713000
	TYPE:T16 MOUNTING BOLT:M16*1.5 MOUTING BOLT CENTER:120.7 INPUT THREADS: M16*1.5 STROKE: 64 PUSH ROD THREAD: M16*1.5 PUSH ROD LENGTH: 125 OE: 100.3519010.01
	TYPE:T30 MOUNTING BOLT:M16*1.5 MOUTING BOLT CENTER:120.7 INPUT THREADS: M16*1.5 STROKE: 64 PUSH ROD THREAD: M16*1.5 PUSH ROD LENGTH: 125 OE: 30.3519010.30