




MAINTENANCE FREE BATTERY

Type	Nominal Voltage	Nominal Capacity(AH)		Reserved Capacity	Cold Cranking	TECH DRAW
	(V)	20HR	5HR	(min)	CCA(-18℃)	
MFNS40	12	32	25.6	47	256	
MFNS40Z	12	36	28.8	59	280	
MFN40	12	40	32	69	320	
MFNS60	12	45	36	79	360	
MFN50	12	50	40	89	400	
MFN50Z	12	60	48	109	480	
MFNS70	12	65	52	120	520	
MFNX110-5	12	68	55	125	544	
MFN70	12	70	56	132	560	
MFN70Z	12	75	60	139	600	
MFNX120-7	12	80	64	151	640	
MFN100	12	100	80	195	800	
MFS31	12	/	/	256	900	

MAINTENANCE FREE BATTERY

Type	Nominal Voltage	Nominal Capacity(AH)	Reserved Capacity	Cold Cranking	TECH DRAW
	(V)	20HR	(min)	CCA(-18℃)	
MFN120	12	120	239	860	
MFN135	12	135	258	860	
MFN150	12	150	308	960	
MFN165	12	165	326	960	
MFN180	12	180	378	1100	
MFN200	12	200	426	1200	
6TN	12	100	195	800	

MAINTENANCE FREE BATTERY

Type	Nominal Voltage	Nominal Capacity(AH)	Reserved Capacity	Cold Cranking	TECH DRAW
	(V)	20HR	(min)	CCA(-18℃)	
MFDIN36	12	36	59	280	
MFDIN44	12	44	77	352	
MFDIN45	12	45	79	360	
MFDIN55	12	55	99	440	
MFDIN60	12	60	109	480	
MFDIN66	12	66	122	528	
MFDIN70	12	70	132	560	
MFDIN75	12	75	139	600	
MFDIN80	12	80	151	640	
MFDIN88	12	88	169	700	
MFDIN100	12	100	195	800	