

HUB BOLT		
PHOTO	ITEM	DESCRIPTION
	MAN 81.45501.0080 Mercedes 498 401 00 71 381 401 04 71 381 401 0571	Length: 108.5 mm Outer Thread: M22 x 1.5 mm Thread Length: 40 mm Bolt Head Height Ø: 10.5 mm Length: 98 mm Bolt Head Ø: 32 mm Weight: 0.337 kg
	Mercedes 381 401 03 71 Evobus 381 401 03 71 EAN Code 4027816079439	Length: 99.5 mm Outer Thread: M22 x 1.5 mm Thread Length: 37 mm Quality/ Grade: 10.9 Length: 89 mm Bolt Head Ø: 32 mm Weight: 0.453 kg
	MAN 81.45501.0129 Neoplan 81.45501.0129 EAN Code 4027816151708	Length: 75.5 mm Outer Thread: M22 x 1.5 mm Thread Length: 28 mm Length: 65 mm Bolt Head Ø: 32 mm Weight: 0.285 kg
	MAN 81.45501.0076 81.45501.0058 Evobus 381 401 02 71 EAN Code 4027816039976	Length: 91 mm Outer Thread: M22 x 1.5 mm Thread Length: 39 mm Bolt Head Height : 10.5 mm Length: 80.5 mm Bolt Head Ø: 32 mm Weight: 0.282 kg
	Mercedes 381 401 06 71 EAN Code 4027816128724	Length: 115.5 mm Outer Thread: M22 x 1.5 mm Thread Length: 39 mm Quality/ Grade: 10.9 Bolt Head Height Ø: 10.5 mm Length: 105 mm Bolt Head Ø: 32 mm Weight: 0.361 kg
	Mercedes 381 401 0771 EAN Code 4027816079507	Length: 120.5 mm Outer Thread: M22 x 1.5 mm Thread Length: 40 mm Length: 110 mm Bolt Head Ø: 32 mm Weight: 0.513 kg
	MAN 81.45501.0094 81.45501.0087 EAN Code 4027816045748	Length: 85 mm Outer Thread: M 18 x 1.5 mm Thread Length: 30 mm Bolt Head Height Ø: 8 mm Length: 77 mm Bolt Head Ø: 31 mm Weight: 0.18 kg

HUB BOLT		
PHOTO	ITEM	DESCRIPTION
	Mercedes 381 401 08 71 S3 381 401 08 71 Evobus 381 401 08 71 S3 EAN Code 4027816079514	Length: 125.5 mm Outer Thread: M22 x 1.5 mm Thread Length: 39 mm Length: 115 mm Bolt Head Ø: 32 mm Weight: 0.497 kg
	Mercedes 327 402 02 71 302 402 00 71 EAN Code 4027816026662	Length: 92 mm Outer Thread: M 20 x 1.5 mm Thread Length: 39 mm Bolt Head Height Ø: 8 mm Length: 84 mm Bolt Head Ø: 30 mm Weight: 0.234 kg
	Mercedes 327 402 03 71 EAN Code 4027816062806	Length: 97 mm Outer Thread: M 20 x 1.5 mm Thread Length: 44 mm Length: 89 mm Bolt Head Ø: 30 mm Weight: 0.315 kg
	MAN 81.45501.0129 Neoplan 81.45501.0129 EAN Code 4027816151708	Length: 125.5 mm Outer Thread: M22 x 1.5 mm Thread Length: 28 mm Quality/ Grade: 10.9 Bolt Head Height Ø: 10.5 mm Length: 65 mm Weight: 0.285 kg
	Kässbohrer 8.241.999.615 Bpw 09.806.23.18.0 EAN Code 4027816052074	Length: 100 mm Outer Thread: M 22 x 2 mm Outer Thread: M 22 x 1.5 mm Thread Length: 25 mm Thread Length: 37 mm Bolt Head Height Ø: 5 mm Length: 46 mm Length: 49 mm Bolt Head Ø: 32 mm Weight: 0.48 kg
	MAN 81.45501.0060 Mercedes 381 401 06 71 EAN Code 4027816035527	Length: 115.5 mm Outer Thread: M 22 x 1.5 mm Thread Length: 39 mm Length: 105 mm Bolt Head Ø: 32 mm Weight: 0.361 kg
	1368694	Length: 111 mm Outer Thread: 7/8"-11BSF mm Thread Length: 73 mm Length: 99 mm Bolt Head Ø: 30 mm Bolt Head Ø: 36 mm

HUB BOLT		
PHOTO	ITEM	DESCRIPTION
	Scania 0 272 853 272 853 EAN Code 4027816059158	Scania Length: 111 mm Outer Thread: 7/8"-11BSF mm Thread Length: 73mm Length: 99 mm
	VOLVO 1573081	Length: 94 mm Outer Thread: M22 x 1.5mm Length: 84 mm Bolt Head Ø: 40 mm
	Renault 74 20 515 517 Volvo 20515517	Renault Length: 108 mm Outer Thread: M 22x1.5mm Thread Length: 68 mm Length: 97 mm
	Renault 74 20 515 515 Volvo 20515515	Length: 99 mm Outer Thread: M22x1.5 mm Thread Length: 57 mm Length: 88 mm Bolt Head Ø: 36 mm
	Bpw 09.806.23.22.0 EAN Code 4027816074564	Length: 112 mm Outer Thread: M 22 x 2 mm Outer Thread: M 22 x 1.5 mm Length: 47 mm Length: 60 mm
	MAN 81.45422.0060 Mercedes 620 401 01 70	Outer Thread: M20x2 mm Thread Length: 52 mm Quality/ Grade: 10.9 Surface: Zinc-coated Weight: 0.330 kg
	Mercedes 620 401 00 70 Scania 0 338 883	Outer Thread: M20x2 mm Thread Length: 32 mm Quality/ Grade: 10.9 Surface: Zinc-coated Weight: 0.195 kg
	Mercedes 304 402 02 71 S1 304 402 02 71 304 402 02 71	Outer Thread: M20x1.5 mm Outer Thread: M22x1.5 mm Length: 31 mm Length: 49 mm Bolt Head Ø: 35 mm
	Mercedes 314 401 00 71 324 402 00 71 314 402 00 71 EAN Code 4027816016540	Length: 68 mm Outer Thread: M18x1.5 mm Thread Length: 30mm Length: 60 mm Bolt Head Ø: 27 mm

HUB BOLT		
PHOTO	ITEM	DESCRIPTION
	Mercedes 312 401 11 71 318 402 02 71 S1 318 402 02 71 327 401 00 71	Length: 70 mm Outer Thread: M20x1.5 mm Thread Length: 31.5 mm Length: 62 mm Bolt Head Ø: 30 mm
	Renault 74 20 515 519 Volvo 20515519 EAN Code 4027816327998	Outer Thread: M22 x 1.5 mm Thread Length: 75 mm Quality/ Grade: 10.9 Length: 105 mm Bolt Head Ø: 36 mm Weight: 0.38 kg
	09.806.13.30.0 09.806.13.33.0	BpwLength: 111 mm Outer Thread: M 22 x 2 mm Thread Length: 25 mm Thread Length: 44mm Length: 49 mm Length: 50 mm Bolt Head Ø: 32 mm
	6250/7/22	VOLV 7/8" - 14UNF Length: 121 mm Length: 111 mm Bolt Head 41 mm
	6206/12/12	VOLV 7/8" - 14UNF Length: 94 mm Length: 84 mm Bolt Head 40 mm
	Renault 50 10 439 317 50 10 439 406 EAN Code 4027816188254	Length: 107 mm Outer Thread: M 22 x 1.5 mm Thread Length: 43 mm Quality/ Grade: 10.9 Length: 97 mm Bolt Head Ø: 35 mm Weight: 0.27 kg
	DAF 1308 038 620 649 0099 717 0620 649 EAN Code 4027816084433	Length: 116 mm Outer Thread: M22 x 1.5 mm Length: 104 mm Bolt Head Ø: 41 mm
	356 736 1309 190 0890 763 890 763	Length: 98 mm Outer Thread: M22 x 1.5 mm Length: 84 mm Bolt Head Ø: 42 mm

HUB BOLT		
PHOTO	ITEM	DESCRIPTION
	81.45501.0076 S1 81.45501.0076 81.45501.0058 3054010071	Length: 91 mm M 22 x 1.5 mm Length: 80.5 mm
	VOLVO 1573082	VOLV 7/8" - 14UNF Length: 112 mm Length: 102 mm Bolt Head 40 mm
	Renault 74 21 147 687 74 20 524 942 Volvo 21147687 20524942	Outer Thread: M 22x1.5 mm Thread Length: 56 mm Length: 114 mm Bolt Head Ø: 36 mm
	1368695	Length: 114 mm Outer Thread: 7/8"-11BSF mm Thread Length: 78 mm Length 103 mm Bolt Head Ø: 30 mm Bolt Head Ø: 36 mm
	MAN 81.45501.0078 Mercedes 381 401 03 71 327 402 04 71 EAN Code 4027816062899	Length: 99.5 mm Outer Thread: M 22 mm Thread Length: 38 mm Length: 89 mm Bolt Head Ø: 32 mm Weight: 0.428 kg
	MAN 81.45501.0081 Neoplan 0821.210.19 EAN Code 4027816186946	Length: 115.5 mm Outer Thread: M22 x 1.5 mm Thread Length: 70 mm Length: 106 mm Bolt Head Ø: 32 mm Weight: 0.358 kg
	MAN 81.45501.0076 81.45501.0058 Evobus381 401 02 71 Mercedes 317 401 03 71	Length: 91 mm Outer Thread: M22 x 1.5 mm Thread Length: 39 mm Quality/ Grade: 10.9 Bolt Head Height Ø: 10.5 mm Length: 80.5 mm Bolt Head Ø: 32 mm
	IVECO 027.024.00	Length: 119.5 mm Outer Thread: M20x1.5 mm Thread Length: 41 mm Length: 110.5 mm Bolt Head Ø: 30 mm

HUB BOLT		
PHOTO	ITEM	DESCRIPTION
	Mercedes 674 402 01 71 Evobus 674 402 01 71 EAN Code 4027816092988	Length: 83 mm Outer Thread: M 18 x 1.5 mm Thread Length: 36 mm Bolt Head Height Ø: 8 mm Length: 75 mm Bolt Head Ø: 27 mm Weight: 0.17 kg
	Renault 50 10 319 141 00 00 190 221 EAN Code 4027816104452	Length: 89 mm Outer Thread: M 22 x 1.5 mm Thread Length: 40 mm Bolt Head Height Ø: 10 mm Length: 79 mm Bolt Head Ø: 35 mm Weight: 0.18 kg
	Mercedes 381 401 08 71 S3 381 401 08 71 Evobus 381 401 08 71 S3 EAN Code 4027816079514	Length: 125.5 mm Outer Thread: M22 x 1.5 mm Thread Length: 39 mm Length: 115 mm Bolt Head Ø: 32 mm Weight: 0.497 kg
	Mercedes 352 402 00 71 Evobus 352 402 00 71 EAN Code 4027816062783	Length: 85 mm Outer Thread: M 20 x 1.5 mm Thread Length: 39 mm Bolt Head Height Ø: 8 mm Length: 77 mm Bolt Head Ø: 30 mm Weight: 0.302 kg
	MAN 81.45501.0133 Mercedes 389 401 00 71 EAN Code 4027816128687	Length: 91 mm Outer Thread: M 22 x 1.5 mm Thread Length: 39 mm Bolt Head Height Ø: 10.5 mm Length: 80.5 mm Bolt Head Ø: 32 mm Weight: 0.282 kg
	81.45501.0085	Length: 90.5 mm Outer Thread: M 22 x 1.5 mm Thread Length: 40 mm Bolt Head Height Ø: 10.5 mm Length: 80 mm Bolt Head Ø: 32 mm Weight: 0.280 kg
	03.000.60.82.4 03.296.33.14.1 03.296.33.11.0	Length: 90.5 mm Length: 80mm Outer Thread: M 22 x 1.5 mm Thread Length: 54 mm Quality/ Grade: 10.9 Bolt Head Ø: 36 mm


HUB BOLT		
PHOTO	ITEM	DESCRIPTION
	03.296.33.12.0	Length: 107.5mm Length: 97mm Outer Thread: M 22 x 1.5 mm Thread Length: 62 mm Quality/ Grade: 10.9 Bolt Head Ø: 36 mm
	Saf 3 302 1077 00 EAN Code 4027816018346	Length: 93.5 mm Length: 83 mm Thread Length: 47 mm Outer Thread: M 22 x 1.5 mm Weight: 0.28 kg
	Fruehauf A-JA-0491-001 A-JB-11623 A M-006891 Trailer 650 2799 J	Length: 98 mm Outer Thread: M22 x 1.5 mm Thread Length: 52 mm Bolt Head Height Ø: 9 mm Length: 88 mm Bolt Head Ø: 37 mm Weight: 0.34 kg
	Fruehauf M-003133 A-JA-0491-002 Trailer 650 2798 G EAN Code 4027816073123	Length: 83 mm Outer Thread: M 22 x 1.5 mm Thread Length: 32 mm Bolt Head Height Ø: 9 mm Length: 74 mm Bolt Head Ø: 37.5 mm Weight: 0.31 kg
	Neoplan 4464 301 129 EAN Code 4027816153412	Length: 102 mm Outer Thread: M22 x 1.5 mm Thread Length: 50 mm Length: 92 mm Bolt Head Ø: 34 mm Weight: 0.32 kg
	DAF 0099 717 0620 649 1308 038 EAN Code 4027816084433	Length: 115.5 mm Outer Thread: M22 x 1.5 mm Thread Length: 46 mm Bolt Head Height Ø: 12 mm Length: 105 mm Bolt Head Ø: 41 mm Weight: 0.4 kg
	DAF 0620 646 1309 191 0099 730 99 730 EAN Code 4027816084426	Length: 95.5mm Outer Thread: M22 x 1.5 mm Thread Length: 46 mm Bolt Head Height Ø: 12 mm Length: 85 mm Bolt Head Ø: 41 mm Weight: 0.354 kg

HUB BOLT		
PHOTO	ITEM	DESCRIPTION
	DAF 1309 190 0890 763 1356 736 EAN Code 4027816157601	Length: 106 mm Outer Thread: M22 x 1.5 mm Thread Length: 45 mm Length: 94 mm Bolt Head Ø: 42 mm Weight: 0.37 kg
	1337020	Length: 72 mm Outer Thread: M22 x 1.5 mm Thread Length: 44mm Bolt Head Height Ø: 12 mm Length: 60 mm Bolt Head Ø: 41 mm
	Iveco 0 0247 7764 0247 7764 247 7764 EAN Code 4027816045731	Length: 119.5 mm Outer Thread: M 22 x 1.5 mm Thread Length: 41 mm Bolt Head Height Ø: 9 mm Length: 110.5 mm Bolt Head Ø: 32 mm Weight: 0.364 kg
	42.117.463	Length: 74 mm Outer Thread: M18 x 1.5 mm Thread Length: 37mm Length: 66 mm Bolt Head Ø: 34 mm
	Mercedes 352 402 01 71 Evobus 352 402 01 71 EAN Code 4027816031253	Length: 80 mm Outer Thread: M 20 x 1.5 mm Thread Length: 38 mm Bolt Head Height Ø: 8 mm Length: 72 mm Bolt Head Ø: 30 mm Weight: 0.204 kg
	Mercedes 942 401 02 71 Evobus 942 401 02 71 EAN Code 4027816055242	Length: 78.5 mm Outer Thread: M 22 x 1.5 mm Thread Length: 42 mm Spanner Size: 32 Length: 68 mm Bolt Head Ø: 32 mm Weight: 0.356 kg
	Mercedes 318 402 00 71 EAN Code 4027816062745	Length: 73 mm Outer Thread: M 18 x 1.5 mm Thread Length: 30.5 mm Length: 65 mm Bolt Head Ø: 27 mm Weight: 0.212 kg


HUB BOLT		
PHOTO	ITEM	DESCRIPTION
	Mercedes 942 401 03 71 Evobus 942 401 03 71 EAN Code 4027816275459	Length: 102 mm Outer Thread: M 22 x 1.5 mm Thread Length: 41 mm Spanner Size: 32 Length: 91.5 mm Bolt Head Ø: 32 mm Weight: 0.45 kg
	MAN 81.45501.0080 Mercedes 498 401 00 71 381 401 04 71 381 401 0571	Length: 108.5 mm Outer Thread: M 22 x 1.5 mm Thread Length: 40 mm Bolt Head Height Ø: 10.5 mm Length: 98 mm Bolt Head Ø: 32 mm Weight: 0.337 kg
	MAN 81.45501.0060 81.45501.0081 Mercedes 381 401 06 71 355 401 00 71	Length: 115.5 mm Outer Thread: M 22 x 1.5 mm Thread Length: 43 mm Length: 105 mm Bolt Head Ø: 32 mm Weight: 0.467 kg
	MAN 81.45501.0129 Neoplan 81.45501.0129 EAN Code 4027816151708	Length: 70.5 mm Outer Thread: M22 x 1.5 mm Thread Length: 28 mm Length: 65 mm Bolt Head Ø: 32 mm Weight: 0.285 kg
	MAN 81.45501.0131 81.45501.0176 EAN Code 4027816435389	Length: 120 mm Outer Thread: M 22 x 1.5 mm Length: 109 mm Bolt Head Ø: 32 mm Weight: 0.51kg
	Renault 74 21 147 687 Volvo 21147687 EAN Code 4027816328018	Length: 124 mm Outer Thread: M 22 x 1.5 mm Thread Length: 56 mm Length: 114 mm Bolt Head Ø: 36 mm
	Renault 74 20 515 517 Volvo 20515517 EAN Code 4027816327981	Length: 108 mm Outer Thread: M 22 x 1.5 mm Thread Length: 68 mm Bolt Head Height Ø: 11 mm Length: 97 mm Weight: 0.36 kg
	Renault 74 20 515 514 Volvo 20515514 EAN Code 4027816327967	Length: 90 mm Outer Thread: M 22 x 1.5 mm Thread Length: 50 mm Length: 79 mm Bolt Head Ø: 36 mm Weight: 0.31 kg

HUB BOLT		
PHOTO	ITEM	DESCRIPTION
	Renault 74 20 515 517 Volvo 20515517 EAN Code 4027816327981	Length: 101mm Outer Thread: M 22 x 1.5 mm Thread Length: 63mm Bolt Head Height Ø: 11 mm Length: 91 mm Weight: 0.36 kg
	Renault 74 20 515 517 Volvo 20515517 EAN Code 4027816327981	Length: 114mm Outer Thread: M 22 x 1.5 mm Thread Length: 74mm Quality/ Grade: 10.9 Bolt Head Height Ø: 11 mm Length: 104 mm Weight: 0.36 kg
	MAN 81.45501.0067 81.45501.0082 Mercedes 381 401 07 71 EAN Code 4027816037408	Length: 120.5 mm Outer Thread: M22 x 1.5 mm Thread Length: 40 mm Bolt Head Height Ø: 10.5 mm Length: 110 mm Bolt Head Ø: 32 mm Weight: 0.375 kg
	1368690	Length: 80.5 mm Outer Thread: 7/8"-11BSF mm Thread Length: 46 mm Length 68 mm Bolt Head Ø: 30 mm Bolt Head Ø: 36 mm
	659112456	Length: 134mm Outer Thread: M18x2 mm Thread Length: 65 mm Quality/ Grade: 10.9 Length: 125mm Weight: 0.28 kg

HUB BOLT---JAPANESE

PHOTO	ITEM	DESCRIPTION
	8-97017-044-2	ISUZU
	9-42330-074-0 L	ISUZU FSR113 6BD1
	9-42330-075-0 R	ISUZU FSR113 6BD1
	T210 ONS-6203	MITSUBISHI
	T210 ONS-6204	MITSUBISHI
	04042-1003	HINO
	04042-1004	HINO
	04043-1001	HINO
	04043-1002	HINO
	8-97020-748-0	ISUZU NKR86
	8-97020-749-0	ISUZU NKR86

HUB BOLT---JAPANESE		
PHOTO	ITEM	DESCRIPTION
	9-42330-081-0	ISUZU
	9-42330-082-0	ISUZU
	ONS-3206	ISUZU
	0559-99-263	MAZDA
	0603-99-337	MAZDA
	W025-99-262	MAZDA3500
	40210-91028	NISSAN
	40210-91029	NISSAN
	40210-1T800	NISSAN
	40211-1T800	NISSAN

HUB BOLT---JAPANESE		
PHOTO	ITEM	DESCRIPTION
	43210-1T800	NISSAN
	43211-1T800	NISSAN
	43210-90126/129	NISSAN
	43211-90126/129	NISSAN
	8-97168457-0 L	ISUZU NPR NQR 4HG1
	8-97168456-0 R	ISUZU NPR NQR 4HG1
	8-97147612-1 R	ISUZU NPR NQR 4HG1
	8-97147614-1 L	ISUZU NPR NQR 4HG1
	8-97081585-1 L	ISUZU NPR 4HG1 4HK1
	8-97081584-1 R	ISUZU NPR 4HG1 4HK1

HUB BOLT---JAPANESE		
PHOTO	ITEM	DESCRIPTION
	40222-A0800	TOYOYA Y31
	90942-02037	TOYOYA
	90942-02053	JAPANESE MOTOR
	MB584750	USE FOR MISTU
	43222-41B00	NISAN
	422608-87309 422609-87309	
	40210-92428 40210-92429	NISAN
	8-98028532-1	ISUZU (右)
	43222-MD90B LH	NISAN

HUB BOLT---JAPANESE		
PHOTO	ITEM	DESCRIPTION
	40224-07DOA	NISSAN NUT
	52755-45210	Doudle end bolt rear with nuts left
	52775-45210	Doudle end bolt rear with nuts right
	51755-45200	Doudle end bolt Front with nuts left
	51775-45200	Doudle end bolt Front with nuts right
	0443A-E0220	
	04042-1080 L	
	04043-1080 L	